

Clamps

Service pressure ratings are based on the following parameters: matching elastomer gaskets and weld ferrules properly aligned and assembled with the clamps tightened to the required torque (**25 in. lbs.**). Tests are done hydrostatically with no water hammer or shock loads. Please note the pressure ratings of the described unions are above the recommended pipe line operating pressures.

"A Tale of Two Clamps" YouTube Link
<http://youtu.be/LEwAjHaW5II>




Single Pin Squeeze Clamps - 13MHHM-Q

- patented design




| Tube OD | Dimension A | 304 Stainless Steel | |
|-------------|-------------|-----------------------|----------------|
| | | Part # | Price/E |
| 1/2" - 3/4" | 1.062 | 13MHHM-Q75 | \$33.80 |
| 1" - 1 1/2" | 2.122 | 13MHHM-Q100150 | 41.55 |
| 2" | 2.654 | 13MHHM-Q200 | 48.65 |
| 2 1/2" | 3.185 | 13MHHM-Q250 | 62.80 |
| 3" | 3.717 | 13MHHM-Q300 | 65.85 |
| 4" | 4.820 | 13MHHM-Q400 | 76.50 |



Single Pin Heavy Duty Clamps - 13MHHM with cross hole wing nut




| Tube OD | Dimension A | 304 Stainless Steel | |
|-------------|-------------|----------------------|---------------|
| | | Part # | Price/E |
| 1/2" - 3/4" | 1.062 | 13MHHM50-75 | \$9.20 |
| 1" - 1 1/2" | 2.122 | 13MHHM100-150 | 17.35 |
| 2" | 2.654 | 13MHHM200 | 18.75 |
| 2 1/2" | 3.185 | 13MHHM250 | 21.45 |
| 3" | 3.717 | 13MHHM300 | 23.45 |
| 4" | 4.820 | 13MHHM400 | 29.55 |
| 5" | 5.820 | 13MHHM500 | 84.10 |
| 6" | 6.695 | 13MHHM600 | 63.25 |
| 8" | 8.695 | 13MHHM800 | 90.75 |



Single Pin Heavy Duty Clamps - 13MHHM***SN with serrated wing nut




| Tube OD | Dimension A | 304 Stainless Steel | |
|-------------|-------------|------------------------|---------------|
| | | Part # | Price/E |
| 1/2" - 3/4" | 1.062 | 13MHHM50-75SN | \$9.20 |
| 1" - 1 1/2" | 2.122 | 13MHHM100-150SN | 17.35 |
| 2" | 2.654 | 13MHHM200SN | 18.75 |
| 2 1/2" | 3.185 | 13MHHM250SN | 21.45 |
| 3" | 3.717 | 13MHHM300SN | 23.45 |
| 4" | 4.820 | 13MHHM400SN | 29.55 |
| 6" | 6.695 | 13MHHM600SN | 63.25 |
| 8" | 8.695 | 13MHHM800SN | 90.75 |



Double Pin Heavy Duty Clamps - 13MHHM-DP




| Tube OD | Dimension A | 304 Stainless Steel | |
|-------------|-------------|------------------------|----------------|
| | | Part # | Price/E |
| 1" - 1 1/2" | 2.122 | 13MHHM-DP100150 | \$21.60 |
| 2" | 2.654 | 13MHHM-DP200 | 24.55 |
| 2 1/2" | 3.185 | 13MHHM-DP250 | 28.40 |
| 3" | 3.717 | 13MHHM-DP300 | 31.95 |
| 4" | 4.820 | 13MHHM-DP400 | 39.05 |
| 10" | 10.740 | 13MHHM-DP1000 | 262.80 |



Clamps

3 Segment Clamps - 13MHMM-3P





| Tube OD | Dimension A | 304 Stainless Steel | |
|----------|-------------|------------------------|----------------|
| | | Part # | Price/E |
| 1" - 1½" | 2.122 | 13MHMM-3P100150 | \$28.45 |
| 2" | 2.654 | 13MHMM-3P200 | 32.65 |
| 2½" | 3.185 | 13MHMM-3P250 | 39.20 |
| 3" | 3.717 | 13MHMM-3P300 | 46.55 |
| 4" | 4.820 | 13MHMM-3P400 | 55.60 |
| 12" | 12.740 | 13MHMM-3P1200 | 632.45 |



- wing nut should be tightened to 25 in. lb. torque

Bolted Clamps - 13MHP




| Tube OD | Dimension A | 304 Stainless Steel | |
|----------|-------------|---------------------|----------------|
| | | Part # | Price/E |
| ½" - ¾" | 1.062 | 13MHP75 | \$28.45 |
| 1" - 1½" | 2.046 | 13MHP100-150 | 34.05 |
| 2" | 2.578 | 13MHP200 | 42.40 |
| 2½" | 3.110 | 13MHP250 | 46.30 |
| 3" | 3.640 | 13MHP300 | 56.35 |
| 4" | 4.744 | 13MHP400 | 63.65 |
| 6" | 6.632 | 13MHP600 | 94.50 |
| 8" | 8.638 | 13MHP800 | 297.10 |
| 10" | 10.740 | 13MHP1000 | 819.55 |
| 12" | 12.740 | 13MHP1200 | 924.20 |



- nuts should be tightened to 20 ft. lbs. torque

Toggle Clamps - 13MHLA




| Tube OD | Dimension A | 304 Stainless Steel | |
|----------|-------------|----------------------|----------------|
| | | Part # | Price/E |
| 1" - 1½" | 2.122 | 13MHLA100-150 | \$56.90 |
| 2" | 2.654 | 13MHLA200 | 59.65 |
| 2½" | 3.185 | 13MHLA250 | 64.10 |
| 3" | 3.717 | 13MHLA300 | 101.90 |
| 4" | 4.820 | 13MHLA400 | 108.30 |



Sanitary Fittings

T-bolt Clamps - 13MO

- 1" - 3" nuts tightened to 20 in. lb. of torque
- 4" nut tightened to 30 in. lb. of torque
- 6" nut tightened to 40 in. lb. of torque
- 8" - 12" nuts tightened to 50 in. lb. of torque
- all nuts are brass




| Tube OD | Dimension A | 304 Stainless Steel | |
|----------|-------------|---------------------|----------------|
| | | Part # | Price/E |
| 1" - 1½" | 2.080 | 13MO100-150 | \$37.05 |
| 2" | 2.610 | 13MO200 | 40.75 |
| 2½" | 3.140 | 13MO250 | 49.95 |
| 3" | 3.670 | 13MO300 | 50.90 |
| 4" | 4.780 | 13MO400 | 71.50 |
| 6" | 6.690 | 13MO600 | 98.95 |
| 8" * | 8.690 | 13MO800 | 147.55 |
| 10" * | 10.690 | 13MO1000 | 186.50 |
| 12" * | 12.690 | 13MO1200 | 248.15 |



- * 2 bolt configuration

Clamps

Dairy Clamps - 13WGC




| Tube OD | Service Pressure Rating @ 70°F * | Service Pressure Rating @ 250°F * | A | 304 Stainless Steel | |
|----------|----------------------------------|-----------------------------------|-------|---------------------|----------------|
| | | | | Part # | Price/E |
| 1" - 1½" | 100 | 75 | 2.080 | 13WGC100-150 | \$13.25 |
| 2" | 100 | 75 | 2.610 | 13WGC200 | 13.85 |
| 2½" | 100 | 75 | 3.140 | 13WGC250 | 17.00 |
| 3" | 100 | 75 | 3.670 | 13WGC300 | 18.35 |
| 4" | 100 | 75 | 4.780 | 13WGC400 | 21.75 |

* finger tight

Accessories

Spring Loaded Nut - 13SLN



- Lines using PTFE gaskets that are subject to large temperature swings can benefit from this special product. As the PTFE is compressed through the cycling of the lines, the spring load will help keep the connection from leaking.
- If the lines suffer from vibration and bolted clamps are not an option, refitting single pin clamps with this nut will keep the connections from leaking for a longer time than the standard wing nuts.
- If you transport material in tanks via truck, the vibrations can loosen the standard single pin clamps. Spring loaded nuts can add a level of insurance to the shipment.
- *Note:* can be used on all wing nut style clamps

| Thread | A | B | 304 Stainless Steel | |
|-----------|------|------|---------------------|----------------|
| | | | Part # | Price/E |
| 5/16 - 18 | 1.73 | .875 | 13SLN | \$99.40 |

* torque to 50 in. lb.

Torque-Rite® Nuts - 13TR



- an audible "click" indicating correct inch/pounds force
- maintains constant 30 or 50 inch/pounds force
- manual override feature
- retrofits all sanitary clamps, ¾" through 12"
- works in rupture disk applications
- no torque wrench or special training required

| Description | Part # | Price/E |
|----------------------------|----------------|-----------------|
| Torque-Rite® 30 in. lb nut | 13TR-30 | \$309.25 |
| Torque-Rite® 50 in. lb nut | 13TR-50 | 309.25 |

Nuts and Bolts




| Description | Part # | Price/E |
|--|------------------|----------------|
| Cross hole wing nut 5/16"-18 | 13WNX | \$12.10 |
| Mini cross hole wing nut 5/16"-18 for ½" - ¾" clamps | 13WNXM | 12.10 |
| Serrated wing nut 5/16"-18 | 13WNS | 12.10 |
| Hex wing nut 5/16"-18 | 13WNH | 12.10 |
| Bronze hex nut 3/8"-16 for bolted clamps | 13BN | 2.85 |
| Bolt 3/8"-16 x 2¼" for 1½" bolted clamps | 13CB-2.25 | 9.25 |
| Bolt 3/8"-16 x 2¾" for 2" and 2½" bolted clamps | 13CB-2.75 | 9.25 |
| Bolt 3/8"-16 x 3¼" for 3" - 12" bolted clamps | 13CB-3.25 | 9.25 |
| Rivet pin for ½" - 5" single pin clamps 5/16" x 1" | 13RP | 4.55 |
| Rivet pin for 6" and 8" single pin clamps 5/16" x 1-1/8" | 13RP6 | 5.60 |
| 5/16"-18 x 2" threaded eye bolt for ½" - 5" clamps | 13IB | 3.75 |
| 5/16"-18 x 2½" threaded eye bolt for 6" - 12" clamps | 13IB6 | 3.75 |

Clamp Ferrules


Short Weld Ferrules - 14WMP 3

| Tube OD | Dimensions | | | 304 Stainless Steel | | 316L Stainless Steel | |
|---------|------------|--------|--------|---------------------|---------------|----------------------|----------------|
| | A | B | C | Part # | Price/E | Part # | Price/E |
| ½" | .500 | .370 | .500 | 14WMP-G50 | \$7.30 | 14WMP-R50 | \$10.00 |
| ¾" | .500 | .620 | .750 | 14WMP-G75 | 7.30 | 14WMP-R75 | 10.00 |
| 1" | .500 | .870 | 1.000 | 14WMP-G100 | 7.50 | 14WMP-R100 | 10.10 |
| 1½" | .500 | 1.370 | 1.500 | 14WMP-G150 | 7.50 | 14WMP-R150 | 10.10 |
| 2" | .500 | 1.870 | 2.000 | 14WMP-G200 | 9.00 | 14WMP-R200 | 12.25 |
| 2½" | .500 | 2.370 | 2.500 | 14WMP-G250 | 12.95 | 14WMP-R250 | 19.60 |
| 3" | .500 | 2.870 | 3.000 | 14WMP-G300 | 17.05 | 14WMP-R300 | 23.65 |
| 4" | .625 | 3.834 | 4.000 | 14WMP-G400 | 27.05 | 14WMP-R400 | 35.20 |
| 5" | .750 | 4.782 | 5.000 | 14WMP-G500 | 346.60 | 14WMP-R500 | 425.20 |
| 6" | .875 | 5.782 | 6.000 | 14WMP-G600 | 119.25 | 14WMP-R600 | 151.05 |
| 8" | .875 | 7.782 | 8.000 | 14WMP-G800 | 157.10 | 14WMP-R800 | 228.85 |
| 10" | .875 | 9.782 | 10.000 | 14WMP-G1000 | 370.35 | 14WMP-R1000 | 470.70 |
| 12" | .875 | 11.760 | 12.000 | 14WMP-G1200 | 575.60 | 14WMP-R1200 | 782.55 |



Long Weld Ferrules - L14AM7 3

| Tube OD | Dimensions | | | 304 Stainless Steel | | 316L Stainless Steel | |
|---------|------------|--------|--------|---------------------|---------------|----------------------|----------------|
| | A | B | C | Part # | Price/E | Part # | Price/E |
| ½" | 1.125 | .370 | .500 | L14AM7-G50 | \$9.70 | L14AM7-R50 | \$12.45 |
| ¾" | 1.125 | .620 | .750 | L14AM7-G75 | 9.70 | L14AM7-R75 | 12.45 |
| 1" | 1.125 | .870 | 1.000 | L14AM7-G100 | 11.40 | L14AM7-R100 | 15.00 |
| 1½" | 1.125 | 1.370 | 1.500 | L14AM7-G150 | 11.40 | L14AM7-R150 | 15.00 |
| 2" | 1.125 | 1.870 | 2.000 | L14AM7-G200 | 14.40 | L14AM7-R200 | 18.65 |
| 2½" | 1.125 | 2.370 | 2.500 | L14AM7-G250 | 18.30 | L14AM7-R250 | 28.15 |
| 3" | 1.125 | 2.870 | 3.000 | L14AM7-G300 | 23.95 | L14AM7-R300 | 33.85 |
| 4" | 1.125 | 3.834 | 4.000 | L14AM7-G400 | 34.00 | L14AM7-R400 | 45.50 |
| 6" | 1.500 | 5.782 | 6.000 | L14AM7-G600 | 222.40 | L14AM7-R600 | 287.70 |
| 8" | 1.500 | 7.782 | 8.000 | L14AM7-G800 | 296.65 | L14AM7-R800 | 498.95 |
| 10" | 1.750 | 9.782 | 10.000 | L14AM7-G1000 | 626.55 | L14AM7-R1000 | 816.25 |
| 12" | 1.750 | 11.760 | 12.000 | L14AM7-G1200 | 957.60 | L14AM7-R1200 | 1169.50 |




Sanitary Fittings

Automatic Weld Ferrules - TL14AM7 3


• meets ASME BPE-2009 specifications

| Tube OD | Dimensions | | | 316L Stainless Steel | |
|---------|------------|-------|-------|----------------------|----------------|
| | A | B | C | Part # | Price/E |
| ½" | 1.750 | .370 | .500 | TL14AM7-050PL | \$29.55 |
| ¾" | 1.750 | .620 | .750 | TL14AM7-075PL | 29.55 |
| 1" | 1.750 | .870 | 1.000 | TL14AM7-100PL | 27.90 |
| 1½" | 1.750 | 1.370 | 1.500 | TL14AM7-150PL | 27.90 |
| 2" | 2.250 | 1.870 | 2.000 | TL14AM7-200PL | 32.25 |
| 3" | 2.250 | 2.870 | 3.000 | TL14AM7-300PL | 67.55 |
| 4" | 2.250 | 3.834 | 4.000 | TL14AM7-400PL | 151.40 |




Tank Weld Ferrules (light duty) - 14WLMP 3

| Tube OD | Dimensions | | | | 304 Stainless Steel | | 316L Stainless Steel | |
|---------|------------|-------|-------|-------|---------------------|----------------|----------------------|----------------|
| | A | B | C | D | Part # | Price/E | Part # | Price/E |
| 1" | 3.000 | .870 | 1.000 | 1.984 | 14WLMP-G100 | \$31.25 | 14WLMP-R100 | \$94.75 |
| 1½" | 3.000 | 1.370 | 1.500 | 1.984 | 14WLMP-G150 | 31.25 | 14WLMP-R150 | 94.75 |
| 2" | 3.000 | 1.870 | 2.000 | 2.516 | 14WLMP-G200 | 39.70 | 14WLMP-R200 | 122.20 |
| 2½" | 3.000 | 2.370 | 2.500 | 3.047 | 14WLMP-G250 | 54.70 | 14WLMP-R250 | 173.60 |
| 3" | 4.000 | 2.870 | 3.000 | 3.579 | 14WLMP-G300 | 68.45 | 14WLMP-R300 | 230.80 |
| 4" | 4.000 | 3.834 | 4.000 | 4.682 | 14WLMP-G400 | 103.70 | 14WLMP-R400 | 346.45 |
| 6" | 6.000 | 5.782 | 6.000 | 6.562 | 14WLMP-G600 | 508.70 | 14WLMP-R600 | 701.30 |



Clamp Ferrules


3 Tank Weld Ferrules (heavy wall) - 14MPW



- certified ASME materials

| Tube OD | Dimensions | | | 316L Stainless Steel | |
|---------|------------|-------|-------|----------------------|----------------|
| | A | B | C | Part # | Price/E |
| ½" | 1.625 | .321 | .502 | 14MPW-R50 | \$74.60 |
| ¾" | 1.625 | .574 | .750 | 14MPW-R75 | 74.60 |
| 1" | 1.625 | .870 | 1.160 | 14MPW-R100 | 38.30 |
| 1½" | 1.625 | 1.370 | 1.676 | 14MPW-R150 | 38.30 |
| 2" | 1.750 | 1.870 | 2.192 | 14MPW-R200 | 48.60 |
| 2½" | 1.750 | 2.370 | 2.708 | 14MPW-R250 | 67.40 |
| 3" | 1.813 | 2.870 | 3.224 | 14MPW-R300 | 88.80 |
| 4" | 2.125 | 3.834 | 4.256 | 14MPW-R400 | 157.40 |
| 6" | 2.500 | 5.758 | 6.192 | 14MPW-R600 | 997.60 |


3 Roll-on Expanding Ferrules - 14RMP



For use when modifying or repairing existing on-site farm milk handling systems.

| Tube OD | Dimensions | | 304 Stainless Steel | | 316L Stainless Steel | |
|---------|------------|-------|---------------------|---------------|----------------------|----------------|
| | A | B | Part # | Price/E | Part # | Price/E |
| 1" | .750 | 1.005 | 14RMP-G100 | \$9.35 | 14RMP-R100 | \$42.10 |
| 1½" | 1.125 | 1.505 | 14RMP-G150 | 11.85 | 14RMP-R150 | 26.55 |
| 2" | 1.312 | 2.005 | 14RMP-G200 | 15.60 | 14RMP-R200 | 40.20 |
| 2½" | 1.375 | 2.505 | 14RMP-G250 | 20.95 | 14RMP-R250 | 128.25 |
| 3" | 1.437 | 3.005 | 14RMP-G300 | 24.75 | 14RMP-R300 | 113.65 |
| 4" | 1.500 | 4.005 | 14RMP-G400 | 38.50 | 14RMP-R400 | 221.90 |

3 Reducing Ferrules - B31WMP




| Tube OD | Dimensions | | | 304 Stainless Steel | |
|-----------|------------|-------|-------|-----------------------|-----------------|
| | A | B | C | Part # | Price/E |
| 2" x 1" | .500 | .870 | 1.000 | B31WMP-G200100 | \$140.65 |
| 2½" x 1½" | .500 | 1.370 | 1.500 | B31WMP-G250150 | 298.15 |
| 2½" x 2" | .500 | 1.870 | 2.000 | B31WMP-G250200 | 300.70 |
| 3" x 2" | .500 | 1.870 | 2.000 | B31WMP-G300200 | 362.45 |
| 4" x 2" | .625 | 1.870 | 2.000 | B31WMP-G400200 | 476.80 |
| 4" x 3" | .625 | 2.870 | 3.000 | B31WMP-G400300 | 655.25 |

Clamp Caps

End Caps - 16AMP

- Specify if you are using a piping system or a tubing system when ordering.


| Tube OD | Dimensions | | 304 Stainless Steel | | 316L Stainless Steel | |
|-------------|------------|--------|-----------------------|---------------|-----------------------|----------------|
| | A | B | Part # | Price/E | Part # | Price/E |
| 1/2" - 3/4" | .187 | .992 | 16AMP-G50-75 | \$5.90 | 16AMP-R50-75 | \$9.20 |
| 1" - 1 1/2" | .250 | 1.984 | 16AMP-G100-150 | 8.55 | 16AMP-R100-150 | 10.45 |
| 2" | .250 | 2.516 | 16AMP-G200 | 9.35 | 16AMP-R200 | 13.60 |
| 2 1/2" | .250 | 3.047 | 16AMP-G250 | 14.05 | 16AMP-R250 | 19.70 |
| 3" | .250 | 3.579 | 16AMP-G300 | 19.25 | 16AMP-R300 | 26.70 |
| 4" | .312 | 4.682 | 16AMP-G400 | 35.80 | 16AMP-R400 | 51.25 |
| 5" | .312 | 5.687 | 16AMP-G500 | 525.00 | 16AMP-R500 | 792.30 |
| 6" | .437 | 6.570 | 16AMP-G600 | 140.65 | 16AMP-R600 | 173.65 |
| 8" | .437 | 8.570 | 16AMP-G800 | 312.05 | 16AMP-R800 | 388.75 |
| 10" | .437 | 10.570 | 16AMP-G1000 | 501.25 | 16AMP-R1000 | 984.05 |
| 12" | .437 | 12.750 | 16AMP-G1200 | 693.70 | 16AMP-R1200 | 1333.25 |



Thermometer Caps - B23BMP

| Tube OD | Dimensions | | | 304 Stainless Steel | | 316L Stainless Steel | |
|---------|------------|-------|---------|---------------------|----------------|----------------------|-----------------|
| | A | B | C * | Part # | Price/E | Part # | Price/E |
| 1/2" | .500 | .993 | 1/4 NPT | --- | --- | B23BMP-R5014 | \$216.25 |
| 3/4" | .500 | .993 | 1/4 NPT | --- | --- | B23BMP-R7514 | 240.30 |
| 1" | .625 | 1.984 | 1/2 NPT | B23BMP-G100 | \$39.60 | B23BMP-R100 | 50.25 |
| 1 1/2" | .625 | 1.984 | 3/4 NPT | B23BMP-G150 | 34.70 | B23BMP-R150 | 50.25 |
| 2" | .625 | 2.516 | 3/4 NPT | B23BMP-G200 | 52.15 | B23BMP-R200 | 66.70 |
| 2 1/2" | .625 | 3.047 | 3/4 NPT | B23BMP-G250 | 68.20 | B23BMP-R250 | 108.20 |
| 3" | .625 | 3.579 | 3/4 NPT | B23BMP-G300 | 89.75 | B23BMP-R300 | 116.00 |
| 4" | .625 | 4.682 | 3/4 NPT | B23BMP-G400 | 135.35 | B23BMP-R400 | 179.50 |


* other NPT tap sizes available



Sanitary Fittings


Clamp Adapters

Tygon Hose Adapters - 14MPHT



| Tube OD | Dimensions | | | 316L Stainless Steel | |
|---------|------------|-------|-------|----------------------|-----------------|
| | A | B | C | Part # | Price/E |
| 3/4" | 4.000 | .620 | .750 | 14MPHT-R75 | \$400.25 |
| 1" | 4.500 | .870 | 1.000 | 14MPHT-R100 | 71.75 |
| 1 1/2" | 4.500 | 1.370 | 1.500 | 14MPHT-R150 | 71.75 |
| 2" | 4.500 | 1.870 | 2.000 | 14MPHT-R200 | 78.90 |
| 2 1/2" | 4.500 | 2.370 | 2.500 | 14MPHT-R250 | 105.25 |
| 3" | 4.500 | 2.870 | 3.000 | 14MPHT-R300 | 131.30 |
| 4" | 4.625 | 3.834 | 4.000 | 14MPHT-R400 | 210.60 |


Rubber Hose Adapters - 14MPHR



| Tube OD | Hose Size | Dimensions | | 304 Stainless Steel | | 316L Stainless Steel | |
|---------|-----------|------------|-------|-----------------------|-----------------|-----------------------|----------------|
| | | A | B | Part # | Price/E | Part # | Price/E |
| 1/2" | 1/4" | 1.500 | .250 | --- | --- | 14MPHR-R5025 | 136.40 |
| 1/2" | 1/2" | 1.500 | .500 | --- | --- | 14MPHR-R50 | 89.90 |
| 1/2" | 3/4" | 1.500 | .750 | --- | --- | 14MPHR-R5075 | 136.40 |
| 3/4" | 1/4" | 1.500 | .250 | --- | --- | 14MPHR-R7525 | 112.45 |
| 3/4" | 3/8" | 1.500 | .375 | --- | --- | 14MPHR-R75375 | 112.45 |
| 3/4" | 1/2" | 1.500 | .500 | --- | --- | 14MPHR-R7550 | 112.45 |
| 3/4" | 3/4" | 1.500 | .750 | --- | --- | 14MPHR-R75 | 94.00 |
| 1" | 3/8" | 1.500 | .375 | --- | --- | 14MPHR-R100375 | 204.30 |
| 1" | 1/2" | 1.500 | .500 | 14MPHR-G10050 | \$158.45 | 14MPHR-R10050 | 196.20 |
| 1" | 3/4" | 1.688 | .750 | 14MPHR-G10075 | 158.45 | 14MPHR-R10075 | 232.05 |
| 1" | 1" | 1.688 | 1.000 | 14MPHR-G100 | 42.50 | 14MPHR-R100 | 180.95 |
| 1-1/2" | 1/2" | 1.500 | .500 | 14MPHR-G15050 | 122.35 | 14MPHR-R15050 | 204.10 |
| 1-1/2" | 5/8" | 1.500 | .625 | --- | --- | 14MPHR-R150625 | 204.10 |
| 1-1/2" | 3/4" | 1.500 | .750 | 14MPHR-G15075 | 122.35 | 14MPHR-R15075 | 204.10 |
| 1-1/2" | 1" | 1.687 | 1.000 | 14MPHR-G150100 | 115.05 | 14MPHR-R150100 | 171.85 |
| 1-1/2" | 1-1/2" | 1.689 | 1.500 | 14MPHR-G150 | 47.10 | 14MPHR-R150 | 153.00 |
| 2" | 1-1/2" | 2.312 | 1.500 | 14MPHR-G200150 | 223.20 | 14MPHR-R200150 | 324.30 |
| 2" | 2" | 2.313 | 2.000 | 14MPHR-G200 | 67.25 | 14MPHR-R200 | 148.85 |
| 2-1/2" | 2-1/2" | 2.344 | 2.500 | 14MPHR-G250 | 95.55 | 14MPHR-R250 | 260.90 |
| 3" | 3" | 3.094 | 3.000 | 14MPHR-G300 | 113.10 | 14MPHR-R300 | 332.70 |
| 4" | 4" | 3.406 | 4.000 | 14MPHR-G400 | 151.95 | 14MPHR-R400 | 736.15 |
| 6" | 6" | 3.406 | 6.000 | 14MPHR-G600 | 1422.80 | 14MPHR-R600 | 1843.85 |

304 Brewery Hose Barb Adapters - 14MPHRL

- suitable for use with band clamps



| Tube OD | Hose Size | Dimensions | | 304 Stainless Steel | |
|---------|-----------|------------|-------|---------------------|----------------|
| | | A | B | Part # | Price/E |
| 1" | 1" | 3.500 | 1.030 | 14MPHRL100 | \$56.60 |
| 1 1/2" | 1 1/2" | 5.000 | 1.030 | 14MPHRL150 | 64.20 |
| 2" | 2" | 5.000 | 2.030 | 14MPHRL200 | 82.15 |
| 2 1/2" | 2 1/2" | 5.500 | 2.545 | 14MPHRL250 | 100.30 |
| 3" | 3" | 5.500 | 3.030 | 14MPHRL300 | 132.05 |
| 4" | 4" | 5.500 | 4.030 | 14MPHRL400 | 183.40 |


SAFETY ALERT

Use of PVC tubing requires special techniques to prevent leakage. All assembly work must be done with heated tube. Cold durometer is 90 as opposed to rubber hose at 65 to 70 durometer. Banding buckles must be at 180° from one another.

Clamp Adapters


Clamp x Male NPT Adapters - 21MP

| Tube OD | Thread Size | Dimensions | | 304 Stainless Steel | | 316L Stainless Steel | |
|---------|-------------|------------|-------|---------------------|-----------------|----------------------|----------------|
| | | A | B | Part # | Price/E | Part # | Price/E |
| 1/2" | 1/4" | 2.000 | .595 | --- | --- | 21MP-R5025 | \$85.80 |
| 1/2" | 3/8" | 2.000 | .600 | --- | --- | 21MP-R50375 | 85.80 |
| 1/2" | 1/2" | 1.625 | .782 | --- | --- | 21MP-R50 | 78.30 |
| 1/2" | 3/4" | 2.000 | .794 | --- | --- | 21MP-R5075 | 117.00 |
| 3/4" | 1/4" | 2.000 | .595 | --- | --- | 21MP-R7525 | 95.35 |
| 3/4" | 3/8" | 2.000 | .600 | --- | --- | 21MP-R75375 | 189.20 |
| 3/4" | 1/2" | 2.000 | .782 | --- | --- | 21MP-R7550 | 95.35 |
| 3/4" | 3/4" | 1.787 | .794 | --- | --- | 21MP-R75 | 66.35 |
| 1" | 1/2" | 2.187 | .782 | 21MP-G10050 | \$102.25 | 21MP-R10050 | 147.85 |
| 1" | 3/4" | 2.187 | .794 | 21MP-G10075 | 102.25 | 21MP-R10075 | 147.85 |
| 1" | 1" | 2.250 | .985 | 21MP-G100 | 98.60 | 21MP-R100 | 115.50 |
| 1" | 1-1/4" | 2.438 | 1.009 | 21MP-G100125 | 203.75 | 21MP-R100125 | 230.80 |
| 1" | 1-1/2" | 2.438 | 1.025 | 21MP-G100150 | 203.75 | 21MP-R100150 | 221.10 |
| 1" | 2" | 2.625 | 1.058 | 21MP-G100200 | 339.20 | 21MP-R100200 | 425.85 |
| 1-1/2" | 3/8" | 2.187 | .600 | 21MP-G150375 | 199.75 | 21MP-R150375 | 236.50 |
| 1-1/2" | 1/2" | 2.187 | .782 | 21MP-G15050 | 158.15 | 21MP-R15050 | 173.00 |
| 1-1/2" | 3/4" | 2.187 | .794 | 21MP-G15075 | 164.95 | 21MP-R15075 | 179.50 |
| 1-1/2" | 1" | 2.437 | .985 | 21MP-G150100 | 101.80 | 21MP-R150100 | 111.55 |
| 1-1/2" | 1-1/4" | 2.438 | 1.009 | 21MP-G150125 | 179.80 | 21MP-R150125 | 196.40 |
| 1-1/2" | 1-1/2" | 2.250 | 1.025 | 21MP-G150 | 97.60 | 21MP-R150 | 113.95 |
| 1-1/2" | 2" | 2.625 | 1.058 | 21MP-G150200 | 227.15 | 21MP-R150200 | 373.15 |
| 2" | 1/2" | 2.187 | .782 | 21MP-G20050 | 379.35 | 21MP-R20050 | 431.95 |
| 2" | 3/4" | 2.188 | .794 | 21MP-G20075 | 318.15 | 21MP-R20075 | 388.55 |
| 2" | 1" | 2.469 | .985 | 21MP-G200100 | 247.70 | 21MP-R200100 | 361.20 |
| 2" | 1-1/2" | 2.625 | 1.009 | 21MP-G200150 | 117.15 | 21MP-R200150 | 159.90 |
| 2" | 2" | 2.638 | 1.058 | 21MP-G200 | 117.90 | 21MP-R200 | 167.75 |
| 2-1/2" | 1/2" | 2.781 | .782 | 21MP-G25050 | 590.95 | 21MP-R25050 | 1247.90 |
| 2-1/2" | 1" | 2.781 | .782 | 21MP-G250100 | 542.25 | 21MP-R250100 | 701.20 |
| 2-1/2" | 1-1/2" | 2.781 | 1.025 | 21MP-G250150 | 416.20 | 21MP-R250150 | 498.15 |
| 2-1/2" | 2" | 2.781 | 1.058 | 21MP-G250200 | 369.20 | 21MP-R250200 | 498.15 |
| 2-1/2" | 2-1/2" | 2.875 | 1.571 | 21MP-G250 | 357.20 | 21MP-R250 | 382.60 |
| 3" | 1-1/2" | 3.000 | 1.009 | 21MP-G300150 | 601.35 | 21MP-R300150 | 848.80 |
| 3" | 2" | 3.000 | 1.058 | 21MP-G300200 | 601.35 | 21MP-R300200 | 848.80 |
| 3" | 3" | 3.070 | 1.634 | 21MP-G300 | 203.95 | 21MP-R300 | 294.25 |
| 4" | 4" | 3.155 | 1.734 | 21MP-G400 | 289.70 | 21MP-R400 | 740.95 |



Clamp Adapters

Clamp x Female NPT Adapters - 22MP



| Tube OD | Thread Size | Dimension A | 304 Stainless Steel | | 316L Stainless Steel | |
|---------|-------------|-------------|---------------------|----------|----------------------|---------|
| | | | Part # | Price/E | Part # | Price/E |
| 1/2" | 1/4" | 1.500 | --- | --- | 22MP-R5025 | \$66.50 |
| 1/2" | 3/8" | 1.500 | --- | --- | 22MP-R50375 | 202.10 |
| 1/2" | 1/2" | 1.500 | --- | --- | 22MP-R50 | 77.90 |
| 1/2" | 3/4" | 1.625 | --- | --- | 22MP-R5075 | 202.10 |
| 3/4" | 1/4" | 1.500 | --- | --- | 22MP-R7525 | 193.20 |
| 3/4" | 1/2" | 1.500 | --- | --- | 22MP-R7550 | 193.20 |
| 3/4" | 3/4" | 1.625 | --- | --- | 22MP-R75 | 76.35 |
| 1" | 1/4" | 1.625 | --- | --- | 22MP-R10025 | 269.60 |
| 1" | 1/2" | 1.625 | 22MP-G10050 | \$167.50 | 22MP-R10050 | 228.10 |
| 1" | 3/4" | 1.625 | 22MP-G10075 | 227.15 | 22MP-R10075 | 261.00 |
| 1" | 1" | 1.625 | 22MP-G100 | 94.40 | 22MP-R100 | 125.35 |
| 1" | 1-1/4" | 1.625 | --- | --- | 22MP-R100125 | 387.50 |
| 1-1/2" | 1/2" | 1.625 | 22MP-G15050 | 224.85 | 22MP-R15050 | 265.95 |
| 1-1/2" | 3/4" | 1.625 | 22MP-G15075 | 168.65 | 22MP-R15075 | 254.45 |
| 1-1/2" | 1" | 1.625 | 22MP-G150100 | 87.25 | 22MP-R150100 | 107.50 |
| 1-1/2" | 1-1/2" | 2.250 | 22MP-G150 | 98.45 | 22MP-R150 | 132.20 |
| 1-1/2" | 2" | 2.250 | 22MP-G150200 | 308.55 | 22MP-R150200 | 365.25 |
| 2" | 1" | 1.687 | 22MP-G200100 | 425.10 | 22MP-R200100 | 429.65 |
| 2" | 1-1/2" | 1.656 | 22MP-G200150 | 123.50 | 22MP-R200150 | 417.35 |
| 2" | 2" | 2.344 | 22MP-G200 | 123.65 | 22MP-R200 | 165.00 |
| 2" | 2-1/2" | 2.406 | 22MP-G200250 | 517.00 | --- | --- |
| 2-1/2" | 2" | 1.719 | 22MP-G250200 | 583.10 | 22MP-R250200 | 681.85 |
| 2-1/2" | 2-1/2" | 2.093 | 22MP-G250 | 342.85 | 22MP-R250 | 586.65 |
| 3" | 2" | 2.187 | --- | --- | 22MP-R300200 | 1143.95 |
| 3" | 2-1/2" | 2.187 | 22MP-G300250 | 701.45 | 22MP-R300250 | 967.50 |
| 3" | 3" | 2.187 | 22MP-G300 | 202.35 | 22MP-R300 | 304.85 |
| 4" | 4" | 3.652 | 22MP-G400 | 558.45 | 22MP-R400 | 727.30 |

Transition Fittings *

* for all other cam and groove options see section A

Cam and Groove Adapter x Clamp End



- does not have sanitary polish

| Size | 316 Stainless Steel | |
|--------|---------------------|----------|
| | Part # | Price/E |
| 1 1/2" | RE150SE | \$162.75 |
| 2" | RE200SE | 165.80 |
| 3" | RE300SE | 378.00 |

Cam and Groove Coupler x Clamp End



- does not have sanitary polish

| Size | 316 Stainless Steel | |
|--------|---------------------|----------|
| | Part # | Price/E |
| 1 1/2" | RC150SE | \$270.00 |
| 2" | RC200SE | 310.50 |
| 3" | RC300SE | 490.00 |

Dixon Weld to Tube Cam and Groove *

- * for all other cam and groove options see section A
- 316 stainless steel investment casting
- designed to be butt welded to standard sanitary tubing
- does not have sanitary polish

Adapter x Weld to Tube End



| Size | 316 Stainless Steel | |
|--------|---------------------|----------|
| | Part # | Price/E |
| 1" | RE100BT | \$130.00 |
| 1 1/2" | RE150BT | 143.00 |
| 2" | RE200BT | 158.00 |
| 3" | RE300BT | 357.00 |

Boss-Lock Coupler x Weld to Tube End




| Size | 316 Stainless Steel | |
|--------|---------------------|----------|
| | Part # | Price/E |
| 1" | RC100BT | \$210.00 |
| 1 1/2" | RC150BT | 243.00 |
| 2" | RC200BT | 280.00 |
| 3" | RC300BT | 441.00 |

Clamp Elbows


90° Clamp Elbows - B2CMP

| Tube OD | Dimensions | | 304 Stainless Steel | | 316L Stainless Steel | |
|---------|------------|-------|---------------------|----------------|----------------------|-----------------|
| | A | R | Part # | Price/E | Part # | Price/E |
| 1/2" | 1.625 | 1.125 | --- | --- | B2CMP-R50 | \$107.15 |
| 3/4" | 1.625 | 1.125 | --- | --- | B2CMP-R75 | 123.20 |
| 1" | 2.000 | 1.500 | B2CMP-G100 | \$50.65 | B2CMP-R100 | 65.50 |
| 1 1/2" | 2.750 | 2.250 | B2CMP-G150 | 52.40 | B2CMP-R150 | 70.30 |
| 2" | 3.500 | 3.000 | B2CMP-G200 | 69.35 | B2CMP-R200 | 93.00 |
| 2 1/2" | 4.250 | 3.750 | B2CMP-G250 | 94.25 | B2CMP-R250 | 132.70 |
| 3" | 5.000 | 4.500 | B2CMP-G300 | 133.50 | B2CMP-R300 | 184.55 |
| 4" | 6.625 | 6.000 | B2CMP-G400 | 225.70 | B2CMP-R400 | 278.85 |
| 6" | 9.875 | 9.000 | B2CMP-G600 | 1213.35 | B2CMP-R600 | 1383.45 |



45° Clamp Elbows - B2KMP

| Tube OD | Dimensions | | 304 Stainless Steel | | 316L Stainless Steel | |
|---------|------------|-------|---------------------|----------------|----------------------|-----------------|
| | A | R | Part # | Price/E | Part # | Price/E |
| 1/2" | .996 | 1.125 | --- | --- | B2KMP-R50 | \$141.65 |
| 3/4" | .966 | 1.125 | --- | --- | B2KMP-R75 | 137.15 |
| 1" | 1.125 | 1.500 | B2KMP-G100 | \$44.70 | B2KMP-R100 | 59.35 |
| 1 1/2" | 1.437 | 2.250 | B2KMP-G150 | 48.25 | B2KMP-R150 | 65.25 |
| 2" | 1.750 | 3.000 | B2KMP-G200 | 67.95 | B2KMP-R200 | 84.65 |
| 2 1/2" | 2.062 | 3.750 | B2KMP-G250 | 92.25 | B2KMP-R250 | 121.95 |
| 3" | 2.375 | 4.500 | B2KMP-G300 | 124.80 | B2KMP-R300 | 159.40 |
| 4" | 3.125 | 6.000 | B2KMP-G400 | 203.90 | B2KMP-R400 | 257.95 |
| 6" | 4.625 | 9.000 | B2KMP-G600 | 1044.25 | B2KMP-R600 | 1078.05 |



Sanitary Fittings


90° Clamp x Plain Bevel Seat with Hex Nut Elbows - B2FMP-14

| Tube OD | Dimensions | | 304 Stainless Steel | |
|---------|------------|-------|----------------------|-----------------|
| | A | B | Part # | Price/E |
| 2" | 3.750 | 3.500 | B2FMP-14-G200 | \$246.25 |
| 2 1/2" | 5.375 | 4.250 | B2FMP-14-G250 | 280.50 |
| 3" | 5.406 | 5.000 | B2FMP-14-G300 | 391.65 |




Clamp Tees

3 Short Outlet Clamp Tees - B7MPS




| Tube OD | Dimensions | | 316L Stainless Steel | |
|---------|------------|-------|----------------------|-----------------|
| | A | B | Part # | Price/E |
| 1½" | 5.500 | 1.375 | B7MPS-R150 | \$275.05 |
| 2" | 7.000 | 1.625 | B7MPS-R200 | 318.15 |
| 2½" | 7.000 | 1.875 | B7MPS-R250 | 341.10 |

3 Clamp Tees - B7MP



| Tube OD | Dimensions | | 304 Stainless Steel | | 316L Stainless Steel | |
|---------|------------|-------|---------------------|----------------|----------------------|-----------------|
| | A | B | Part # | Price/E | Part # | Price/E |
| ½" | 4.750 | 2.375 | --- | --- | B7MP-R50 | \$584.10 |
| ¾" | 5.000 | 2.500 | --- | --- | B7MP-R75 | 516.55 |
| 1" | 4.750 | 2.375 | B7MP-G100 | \$82.30 | B7MP-R100 | 111.25 |
| 1½" | 5.500 | 2.750 | B7MP-G150 | 92.60 | B7MP-R150 | 128.35 |
| 2" | 7.000 | 3.500 | B7MP-G200 | 114.70 | B7MP-R200 | 149.00 |
| 2½" | 7.000 | 3.500 | B7MP-G250 | 146.55 | B7MP-R250 | 199.80 |
| 3" | 7.500 | 3.750 | B7MP-G300 | 198.85 | B7MP-R300 | 278.80 |
| 4" | 9.000 | 4.500 | B7MP-G400 | 287.95 | B7MP-R400 | 396.15 |
| 6" | 13.000 | 6.500 | B7MP-G600 | 2049.95 | B7MP-R600 | 2587.45 |
| 8" | 15.750 | 7.875 | B7MP-G800 | 2132.85 | B7MP-R800 | 4628.70 |

3 Clamp Reducing Tees - B7RMP




| Tube OD | Dimensions | | | 304 Stainless Steel | | 316L Stainless Steel | |
|-----------|------------|-------|-------|----------------------|-----------------|----------------------|-----------------|
| | A | B | C | Part # | Price/E | Part # | Price/E |
| 1" x ¾" | 5.250 | 2.625 | 2.625 | --- | --- | B7RMP-R10075 | \$473.05 |
| 1½" x ½" | 5.750 | 2.875 | 2.875 | --- | --- | B7RMP-R15050 | 482.10 |
| 1½" x 1" | 4.312 | 2.156 | 1.875 | --- | --- | B7RMP-R150100 | 199.90 |
| 2" x ½" | 6.750 | 3.375 | 3.125 | --- | --- | B7RMP-R20050 | 687.05 |
| 2" x ¾" | 6.750 | 3.375 | 3.125 | --- | --- | B7RMP-R20075 | 722.50 |
| 2" x 1" | 5.125 | 2.562 | 2.125 | B7RMP-G200100 | \$223.05 | B7RMP-R200100 | 236.35 |
| 2" x 1½" | 5.688 | 2.844 | 2.406 | B7RMP-G200150 | 170.65 | B7RMP-R200150 | 257.00 |
| 2½" x 1½" | 5.688 | 2.844 | 2.656 | B7RMP-G250150 | 247.40 | B7RMP-R250150 | 345.65 |
| 2½" x 2" | 6.188 | 3.093 | 2.812 | B7RMP-G250200 | 213.05 | B7RMP-R250200 | 249.90 |
| 3" x 1½" | 6.188 | 3.093 | 2.906 | B7RMP-G300150 | 303.40 | B7RMP-R300150 | 467.75 |
| 3" x 2" | 6.188 | 3.093 | 3.063 | B7RMP-G300200 | 256.00 | B7RMP-R300200 | 383.10 |
| 4" x 1½" | 8.125 | 4.063 | 3.406 | B7RMP-G400150 | 408.75 | --- | --- |
| 4" x 2" | 8.125 | 4.063 | 3.563 | B7RMP-G400200 | 408.75 | --- | --- |

Clamp Reducers


Clamp Concentric Reducers - B3114MP 3

| Tube OD | Dimension A | 304 Stainless Steel | | 316L Stainless Steel | |
|-----------------|-------------|------------------------|----------------|------------------------|-----------------|
| | | Part # | Price/E | Part # | Price/E |
| 1" x 1/2" | 3.000 | --- | --- | B3114MP-R10050 | \$277.05 |
| 1" x 3/4" | 2.000 | --- | --- | B3114MP-R10075 | 237.00 |
| 1 1/2" x 1/2" | 5.000 | --- | --- | B3114MP-R15050 | 357.65 |
| 1 1/2" x 3/4" | 4.000 | --- | --- | B3114MP-R15075 | 357.55 |
| 1 1/2" x 1" | 3.000 | B3114MP-G150100 | \$84.30 | B3114MP-R150100 | 92.25 |
| 2" x 3/4" | 6.000 | --- | --- | B3114MP-R20075 | 660.55 |
| 2" x 1" | 5.000 | B3114MP-G200100 | 115.55 | B3114MP-R200100 | 139.15 |
| 2" x 1 1/2" | 3.000 | B3114MP-G200150 | 88.60 | B3114MP-R200150 | 98.15 |
| 2 1/2" x 1 1/2" | 5.000 | B3114MP-G250150 | 123.95 | B3114MP-R250150 | 132.80 |
| 2 1/2" x 2" | 3.000 | B3114MP-G250200 | 107.20 | B3114MP-R250200 | 121.45 |
| 3" x 1 1/2" | 7.000 | B3114MP-G300150 | 210.70 | B3114MP-R300150 | 257.50 |
| 3" x 2" | 5.000 | B3114MP-G300200 | 144.60 | B3114MP-R300200 | 167.20 |
| 3" x 2 1/2" | 3.000 | B3114MP-G300250 | 132.20 | B3114MP-R300250 | 146.90 |
| 4" x 1 1/2" | 11.125 | B3114MP-G400150 | 503.75 | B3114MP-R400150 | 630.45 |
| 4" x 2" | 9.125 | B3114MP-G400200 | 286.85 | B3114MP-R400200 | 342.30 |
| 4" x 2 1/2" | 7.125 | B3114MP-G400250 | 325.90 | B3114MP-R400250 | 361.75 |
| 4" x 3" | 5.125 | B3114MP-G400300 | 194.50 | B3114MP-R400300 | 219.10 |
| 6" x 4" | 7.000 | B3114MP-G600400 | 829.15 | --- | --- |



Clamp Eccentric Reducers - B3214MP 3

| Tube OD | Dimension A | 304 Stainless Steel | | 316L Stainless Steel | |
|-----------------|-------------|------------------------|----------------|------------------------|-----------------|
| | | Part # | Price/E | Part # | Price/E |
| 1 1/2" x 1" | 3.000 | B3214MP-G150100 | \$95.20 | B3214MP-R150100 | \$140.55 |
| 2" x 1" | 5.000 | B3214MP-G200100 | 224.45 | B3214MP-R200100 | 398.75 |
| 2" x 1 1/2" | 3.000 | B3214MP-G200150 | 108.30 | B3214MP-R200150 | 182.10 |
| 2 1/2" x 1 1/2" | 5.000 | B3214MP-G250150 | 149.45 | B3214MP-R250150 | 254.90 |
| 2 1/2" x 2" | 3.000 | B3214MP-G250200 | 125.85 | B3214MP-R250200 | 233.90 |
| 3" x 1 1/2" | 7.000 | B3214MP-G300150 | 242.85 | B3214MP-R300150 | 305.15 |
| 3" x 2" | 5.000 | B3214MP-G300200 | 175.45 | B3214MP-R300200 | 216.30 |
| 3" x 2 1/2" | 3.000 | B3214MP-G300250 | 212.65 | B3214MP-R300250 | 222.25 |
| 4" x 2" | 9.125 | B3214MP-G400200 | 362.80 | B3214MP-R400200 | 397.65 |
| 4" x 2 1/2" | 7.125 | B3214MP-G400250 | 353.35 | B3214MP-R400250 | 465.60 |
| 4" x 3" | 5.125 | B3214MP-G400300 | 258.05 | B3214MP-R400300 | 387.20 |
| 6" x 3" | 6.875 | B3214MP-G600300 | 1114.10 | --- | --- |
| 6" x 4" | 7.000 | B3214MP-G600400 | 1213.55 | --- | --- |




Sanitary Fittings

Clamp Crosses


Clamp Crosses - B9MP 3

| Tube OD | Dimensions | | 304 Stainless Steel | | 316L Stainless Steel | |
|---------|------------|-------|---------------------|-----------------|----------------------|-----------------|
| | A | B | Part # | Price/E | Part # | Price/E |
| 1" | 4.750 | 2.375 | B9MP-G100 | \$275.25 | B9MP-R100 | \$304.70 |
| 1 1/2" | 5.500 | 2.750 | B9MP-G150 | 316.05 | B9MP-R150 | 324.25 |
| 2" | 7.000 | 3.500 | B9MP-G200 | 343.00 | B9MP-R200 | 373.80 |
| 3" | 7.500 | 3.750 | B9MP-G300 | 684.45 | B9MP-R300 | 722.00 |
| 4" | 9.000 | 4.500 | B9MP-G400 | 857.75 | B9MP-R400 | 1163.30 |




Miscellaneous Configurations

Crowder Supply Co., Inc. • 8495 Roslyn St., Commerce City, CO 80022 • Toll Free: 888-883-5144 • www.CrowderSupply.com



3 Clamp Laterals - **B28AMP**

| Tube OD | Dimensions | | | 316L Stainless Steel | |
|---------|------------|-------|--------|----------------------|-----------------|
| | A | B | C | Part # | Price/E |
| 1" | 7.000 | 1.500 | 5.500 | B28AMP-R100 | \$659.60 |
| 1½" | 8.375 | 1.688 | 6.688 | B28AMP-R150 | 672.10 |
| 2" | 9.750 | 2.125 | 7.625 | B28AMP-R200 | 697.40 |
| 3" | 11.750 | 2.375 | 9.375 | B28AMP-R300 | 1081.15 |
| 4" | 14.062 | 2.640 | 11.312 | B28AMP-R400 | 1896.60 |




3 Clamp True Y - **B28BMP**

| Tube OD | Dimensions | | 316L Stainless Steel | |
|---------|------------|-------|----------------------|-----------------|
| | A | B | Part # | Price/E |
| 1" | 2.500 | 2.938 | B28BMP-R100 | \$621.65 |
| 1½" | 2.500 | 2.938 | B28BMP-R150 | 672.10 |
| 2" | 3.125 | 3.750 | B28BMP-R200 | 697.40 |
| 3" | 4.500 | 5.375 | B28BMP-R300 | 1081.15 |
| 4" | 6.000 | 6.000 | B28BMP-R400 | 1859.45 |

3 Clamp 180° Return Bends - **B2WUMP**

Bends are the standard 1.5 x tube diameter.



| Tube OD | Dimensions | | 316L Stainless Steel | |
|---------|------------|-------|----------------------|-----------------|
| | A | B | Part # | Price/E |
| 1" | 3.000 | 2.500 | B2WUMP-R100 | \$322.20 |
| 1½" | 4.500 | 3.500 | B2WUMP-R150 | 352.15 |
| 2" | 6.000 | 4.500 | B2WUMP-R200 | 469.60 |
| 3" | 9.000 | 6.500 | B2WUMP-R300 | 821.65 |
| 4" | 12.000 | 8.625 | B2WUMP-R400 | 1136.35 |

Clamp Gaskets


Gasket material approved by  (3A), USDA and complies with FDA's 21CFR177.2600 and 1550. PSI Service Ratings for the sanitary clamps *DO NOT APPLY* to connections (1" and above) using any PTFE gaskets, due to the potential for cold flow under normal operating conditions. PTFE gaskets, when used with any clamp, are likely to leak at pressures far below the published service ratings. This restriction *does not apply* to the fractionally sized 1/2" and 3/4" connections, due to their recessed, fully contained design.



Mini



Standard - type 1




Flanged - type 2

Buna-N Clamp Gaskets - Black

| Size | Part # | Price/E |
|--------|------------------|---------------|
| 1/2" | 42MP-U50 | \$1.80 |
| 3/4" | 42MP-U75 | 2.60 |
| 1" | 40MP-U100 | 0.85 |
| 1 1/2" | 40MP-U150 | 0.65 |
| 2" | 40MP-U200 | 0.85 |
| 2 1/2" | 40MP-U250 | 0.85 |
| 3" | 40MP-U300 | 1.05 |
| 4" | 40MP-U400 | 1.80 |
| 5" | 40MP-U500 | 8.90 |
| 6" | 40MP-U600 | 19.70 |
| 8" | 40MP-U800 | 28.30 |



Type 1 - Standard
1/2" - 3/4"



Type 1 - Standard
1" and larger


- color code: red dot
- meets 21CFR 177.2600

Buna-N Clamp Gaskets - White

| Size | Part # | Price/E |
|--------|-------------------|---------------|
| 1/2" | 42MP-UW50 | \$3.00 |
| 3/4" | 42MP-UW75 | 3.40 |
| 1" | 40MP-UW100 | 1.50 |
| 1 1/2" | 40MP-UW150 | 1.40 |
| 2" | 40MP-UW200 | 1.65 |
| 2 1/2" | 40MP-UW250 | 1.70 |
| 3" | 40MP-UW300 | 1.80 |
| 4" | 40MP-UW400 | 3.25 |
| 6" | 40MP-UW600 | 32.50 |



Type 1 - Standard
1/2" - 3/4"



Type 1 - Standard
1" and larger

- color code: red dot
- meets 21CFR 177.2600


Sanitary Fittings

EPDM Clamp Gaskets - Black

| Size | Part # | Price/E |
|--------|------------------|---------------|
| 1/2" | 42MP-E50 | \$2.20 |
| 3/4" | 42MP-E75 | 2.45 |
| 1" | 40MP-E100 | 2.30 |
| 1 1/2" | 40MP-E150 | 2.20 |
| 2" | 40MP-E200 | 2.30 |
| 2 1/2" | 40MP-E250 | 2.90 |
| 3" | 40MP-E300 | 3.40 |
| 4" | 40MP-E400 | 3.70 |
| 6" | 40MP-E600 | 22.50 |




Type 1 - Standard
1/2" - 3/4"




Type 1 - Standard
1" and larger

- color code: three green dots
- peroxide cured
- meets 21CFR 177.2600
- passed USP Class VI Cytotoxicity testing

Clamp Gaskets**FKM (Viton®) Clamp Gaskets - Black**Type 1 - Standard
1/2" - 3/4"Type 1 - Standard
1" and larger


- color code: one white dot, one yellow dot
- peroxide cured
- meets 21CFR 177.2600
- passed USP Class VI Cytotoxicity testing

| Size | Part # | Price/E |
|--------|--------------------|---------------|
| 1/2" | 42MP-SFY50 | \$5.75 |
| 3/4" | 42MP-SFY75 | 6.30 |
| 1" | 40MP-SFY100 | 6.30 |
| 1 1/2" | 40MP-SFY150 | 4.55 |
| 2" | 40MP-SFY200 | 4.80 |
| 2 1/2" | 40MP-SFY250 | 8.75 |
| 3" | 40MP-SFY300 | 11.05 |
| 4" | 40MP-SFY400 | 16.30 |
| 6" | 40MP-SFY600 | 54.75 |

Silicone Clamp Gaskets - WhiteType 1 - Standard
1/2" - 3/4"Type 1 - Standard
1" and larger


- color code: pink dot
- peroxide cured
- meets 21CFR 177.2600
- passed USP Class VI Cytotoxicity testing

| Size | Part # | Price/E |
|--------|-------------------|---------------|
| 1/2" | 42MP-XW50 | \$3.00 |
| 3/4" | 42MP-XW75 | 3.40 |
| 1" | 40MP-XW100 | 3.25 |
| 1 1/2" | 40MP-XW150 | 2.75 |
| 2" | 40MP-XW200 | 3.25 |
| 2 1/2" | 40MP-XW250 | 4.40 |
| 3" | 40MP-XW300 | 4.85 |
| 4" | 40MP-XW400 | 5.75 |
| 6" | 40MP-XW600 | 36.95 |

Silicone Clamp Gaskets - ClearType 1 - Standard
1/2" - 3/4"Type 1 - Standard
1" and larger

- color code: pink dot
- peroxide cured
- meets 21CFR 177.2600
- passed USP Class VI Cytotoxicity testing

| Size | Part # | Price/E |
|--------|-------------------|---------------|
| 1/2" | 42MP-XC50 | \$3.00 |
| 3/4" | 42MP-XC75 | 3.40 |
| 1" | 40MP-XC100 | 4.40 |
| 1 1/2" | 40MP-XC150 | 4.40 |
| 2" | 40MP-XC200 | 4.55 |
| 2 1/2" | 40MP-XC250 | 5.50 |
| 3" | 40MP-XC300 | 6.30 |
| 4" | 40MP-XC400 | 8.75 |

PTFE (Teflon®) Clamp Gaskets - WhiteType 1 - Standard
1/2" - 3/4"Type 1 - Standard
1" and larger

- color code: no dot
- meets 21CFR 177.1550
- passed USP Class VI Cytotoxicity testing
- not recommended for use with bolted clamps

| Size | Part # | Price/E |
|--------|-------------------|---------------|
| 1/2" | 42MP-G50 | \$3.40 |
| 3/4" | 42MP-G75 | 3.15 |
| 1" | 40MP-G100 | 2.85 |
| 1 1/2" | 40MP-G150 | 2.05 |
| 2" | 40MP-G200 | 2.45 |
| 2 1/2" | 40MP-G250 | 3.15 |
| 3" | 40MP-G300 | 3.40 |
| 4" | 40MP-G400 | 4.80 |
| 5" | 40MP-G500 | 79.35 |
| 6" | 40MP-G600 | 43.65 |
| 8" | 40MP-G800 | 100.05 |
| 10" | 40MP-G1000 | 179.00 |
| 12" | 40MP-G1200 | 306.85 |


new

Metal Detectable Clamp Gaskets

Metal detectable gaskets are impregnated with stainless steel particles. The addition of stainless steel allows a gasket or gasket pieces to be found with metal detection equipment.

Buna-N

| Size | Part # | Price/E |
|------|-------------------|---------------|
| 1" | 40MP-UZ100 | \$3.75 |
| 1½" | 40MP-UZ150 | 3.50 |
| 2" | 40MP-UZ200 | 3.80 |
| 2½" | 40MP-UZ250 | 5.90 |
| 3" | 40MP-UZ300 | 6.40 |
| 4" | 40MP-UZ400 | 6.45 |




Type 1 - Standard
1" and larger

- minimum temperature: **-20°F**
- maximum temperature: **212°F**
- good general use where temperature extremes do not exist

EPDM

| Size | Part # | Price/E |
|------|-------------------|---------------|
| 1" | 40MP-EZ100 | \$5.25 |
| 1½" | 40MP-EZ150 | 5.10 |
| 2" | 40MP-EZ200 | 5.35 |
| 2½" | 40MP-EZ250 | 6.95 |
| 3" | 40MP-EZ300 | 7.70 |
| 4" | 40MP-EZ400 | 10.20 |




Type 1 - Standard
1" and larger

- minimum temperature: **-70°F**
- maximum temperature: **310°F**
- excellent base, steam and water resistant

Viton®

| Size | Part # | Price/E |
|------|---------------------|----------------|
| 1" | 40MP-SFYZ100 | \$11.70 |
| 1½" | 40MP-SFYZ150 | 11.25 |
| 2" | 40MP-SFYZ200 | 11.55 |
| 2½" | 40MP-SFYZ250 | 17.40 |
| 3" | 40MP-SFYZ300 | 23.60 |
| 4" | 40MP-SFYZ400 | 30.50 |




Type 1 - Standard
1" and larger

- minimum temperature: **-20°F**
- maximum temperature: **410°F**
- provides high acid, steam and heat resistance



Clamp Gaskets


Buna-N Flanged Clamp Gaskets - Black

Type 2 - Flanged
1" and larger

- color code: red dot
- meets 21CFR 177.2600
- not recommended for use with bolted clamps

| Size | Part # | Price/E |
|------|--------------------|---------------|
| 1" | 40MPF-U100 | \$2.05 |
| 1½" | 40MPF-U150 | 1.80 |
| 2" | 40MPF-U200 | 2.05 |
| 2½" | 40MPF-U250 | 2.45 |
| 3" | 40MPF-U300 | 3.40 |
| 4" | 40MPF-U400 | 4.55 |
| 6" | 40MPF-U600 | 26.70 |
| 8" | 40MPF-U800 | 24.20 |
| 10" | 40MPF-U1000 | 91.00 |
| 12" | 40MPF-U1200 | 110.85 |


Buna-N Flanged Clamp Gaskets - White

Type 2 - Flanged
1" and larger

- color code: red dot
- meets 21CFR 177.2600
- passed USP Class VI Cytotoxicity testing
- not recommended for use with bolted clamps

| Size | Part # | Price/E |
|------|--------------------|---------------|
| 1" | 40MPF-UW100 | \$3.15 |
| 1½" | 40MPF-UW150 | 2.45 |
| 2" | 40MPF-UW200 | 2.85 |
| 2½" | 40MPF-UW250 | 4.80 |
| 3" | 40MPF-UW300 | 4.80 |
| 4" | 40MPF-UW400 | 6.70 |


EPDM Flanged Clamp Gaskets

Type 2 - Flanged
1" and larger

- color code: three green dots
- peroxide cured
- meets 21CFR 177.2600
- passed USP Class VI Cytotoxicity testing
- not recommended for use with bolted clamps

| Size | Part # | Price/E |
|------|--------------------|---------------|
| 1" | 40MPF-E100 | \$3.65 |
| 1½" | 40MPF-E150 | 3.40 |
| 2" | 40MPF-E200 | 3.80 |
| 2½" | 40MPF-E250 | 5.60 |
| 3" | 40MPF-E300 | 6.05 |
| 4" | 40MPF-E400 | 6.55 |
| 6" | 40MPF-E600 | 42.60 |
| 8" | 40MPF-E800 | 61.85 |
| 10" | 40MPF-E1000 | 73.00 |
| 12" | 40MPF-E1200 | 77.90 |

FKM (Viton®) Flanged Clamp Gaskets

Type 2 - Flanged
1" and larger


- color code: one white dot, one yellow dot
- peroxide cured
- meets 21CFR 177.2600
- passed USP Class VI Cytotoxicity testing
- not recommended for use with bolted clamps

| Size | Part # | Price/E |
|------|----------------------|----------------|
| 1" | 40MPF-SFY100 | \$11.80 |
| 1½" | 40MPF-SFY150 | 8.75 |
| 2" | 40MPF-SFY200 | 10.10 |
| 2½" | 40MPF-SFY250 | 17.50 |
| 3" | 40MPF-SFY300 | 18.30 |
| 4" | 40MPF-SFY400 | 21.20 |
| 6" | 40MPF-SFY600 | 63.80 |
| 8" | 40MPF-SFY800 | 106.35 |
| 10" | 40MPF-SFY1000 | 133.65 |
| 12" | 40MPF-SFY1200 | 153.45 |

Clamp Gaskets

Silicone Flanged Clamp Gaskets - White

| Size | Part # | Price/E |
|------|---------------------|---------------|
| 1" | 40MPF-XW100 | \$4.95 |
| 1½" | 40MPF-XW150 | 4.95 |
| 2" | 40MPF-XW200 | 4.95 |
| 2½" | 40MPF-XW250 | 6.15 |
| 3" | 40MPF-XW300 | 7.35 |
| 4" | 40MPF-XW400 | 9.70 |
| 6" | 40MPF-XW600 | 57.20 |
| 8" | 40MPF-XW800 | 71.15 |
| 10" | 40MPF-XW1000 | 84.05 |
| 12" | 40MPF-XW1200 | 78.75 |




Type 2 - Flanged
1" and larger

- color code: no dot
- peroxide cured
- meets 21CFR 177.2600
- passed USP Class VI Cytotoxicity testing
- not recommended for use with bolted clamps

Buna-N Mesh Screen Clamp Gasket, 316


| Size | Part # | Price/E |
|------|-------------------|----------------|
| 1" | 40MPS-U100 | \$47.10 |
| 1½" | 40MPS-U150 | 41.45 |
| 2" | 40MPS-U200 | 44.35 |
| 2½" | 40MPS-U250 | 58.85 |
| 3" | 40MPS-U300 | 67.75 |
| 4" | 40MPS-U400 | 105.95 |



- color code: red dot
- 10 mesh standard, other mesh available-call for details
- meets 21CFR 177.2600

PTFE (Teflon®) Envelope Clamp Gaskets with EPDM

| Size | Part # | Price/E |
|------|-------------------------------|---------------|
| ½" | 42MP-GRE50 | \$9.85 |
| 1" | 40MP-GRE100 | 7.35 |
| 1½" | 40MP-GRE150 | 6.55 |
| 2" | 40MP-GRE200 | 7.35 |
| 2½" | 40MP-GRE250 | 8.90 |
| 3" | 40MP-GRE300 | 10.40 |
| 4" | 40MP-GRE400 | 19.15 |
| 6" | 40MP-GRE600 new | 67.25 |



- color code: usually not marked
- peroxide cured
- meets 21CFR 177.1550
- passed USP Class VI Cytotoxicity testing

PTFE (Teflon®) Envelope Clamp Gaskets with Viton®


| Size | Part # | Price/E |
|------|-------------------|---------------|
| 1" | 40MP-GR100 | \$7.10 |
| 1½" | 40MP-GR150 | 6.55 |
| 2" | 40MP-GR200 | 7.50 |
| 2½" | 40MP-GR250 | 8.90 |
| 3" | 40MP-GR300 | 10.40 |
| 4" | 40MP-GR400 | 17.70 |
| 6" | 40MP-GR600 | 84.80 |



- color code: Viton® usually not marked
- meets 21CFR 177.1550
- passed USP Class VI Cytotoxicity testing


European Fittings DIN 11851

DIN Round Nut (DIN11857) - 13R




| Tube OD | DN Size | Dimensions | | | 304 Stainless Steel | |
|---------|---------|------------|------|------|---------------------|----------------|
| | | A | B | C | Part # | Price/E |
| 1" | 25 | .83 | 2.48 | 2.05 | 13R-G100DIN | \$40.00 |
| 1½" | 40 | .83 | 3.07 | 2.56 | 13R-G150DIN | 49.85 |
| 2" | 50 | .87 | 3.62 | 3.07 | 13R-G200DIN | 63.75 |
| 2½" | 65 | .98 | 4.41 | 3.74 | 13R-G250DIN | 86.40 |
| 3" | 80 | 1.14 | 5.00 | 4.33 | 13R-G300DIN | 132.70 |
| 4" | 100 | 1.22 | 5.83 | 5.12 | 13R-G400DIN | 154.85 |

DIN Blank Cap - 16AMP




| Tube OD | DN Size | Dimensions | | | | 316 Stainless Steel | |
|---------|---------|------------|------|-----|------|----------------------|----------------|
| | | A | B | C | D | Part # | Price/E |
| 1" | 25 | .51 | 1.73 | .39 | 1.38 | 16AMP-R100DIN | \$31.65 |
| 1½" | 40 | .51 | 2.20 | .39 | 1.89 | 16AMP-R150DIN | 51.75 |
| 2" | 50 | .55 | 2.68 | .43 | 2.40 | 16AMP-R200DIN | 73.75 |
| 2½" | 65 | .63 | 3.39 | .47 | 3.11 | 16AMP-R250DIN | 130.75 |
| 3" | 80 | .63 | 3.66 | .47 | 3.39 | 16AMP-R300DIN | 161.25 |
| 4" | 100 | .79 | 4.76 | .59 | 4.49 | 16AMP-R400DIN | 268.45 |

DIN Welding Male - 15A



| Tube OD | DN Size | Dimensions | | 316 Stainless Steel | |
|---------|---------|------------|------|---------------------|----------------|
| | | A | B | Part # | Price/E |
| 1" | 25 | 1.14 | 2.04 | 15A-R100DIN | \$38.25 |
| 1½" | 40 | 1.30 | 2.55 | 15A-R150DIN | 53.45 |
| 2" | 50 | 1.38 | 3.07 | 15A-R200DIN | 65.60 |
| 2½" | 65 | 1.57 | 3.74 | 15A-R250DIN | 103.30 |
| 3" | 80 | 1.57 | 4.09 | 15A-R300DIN | 160.50 |
| 4" | 100 | 2.13 | 5.12 | 15A-R400DIN | 181.35 |

DIN Welding Liner - 14A




| Tube OD | DN Size | Dimensions | | 316 Stainless Steel | |
|---------|---------|------------|------|---------------------|----------------|
| | | A | B | Part # | Price/E |
| 1" | 25 | .87 | 1.73 | 14A-R100DIN | \$26.60 |
| 1½" | 40 | 1.02 | 2.20 | 14A-R150DIN | 37.40 |
| 2" | 50 | 1.10 | 2.68 | 14A-R200DIN | 47.75 |
| 2½" | 65 | 1.26 | 3.39 | 14A-R250DIN | 82.05 |
| 3" | 80 | 1.26 | 3.66 | 14A-R300DIN | 114.05 |
| 4" | 100 | 1.73 | 4.76 | 14A-R400DIN | 145.40 |

European Fittings


SMS Round Nuts - 13R

| Tube OD | DN Size | Dimensions | | | 304 Stainless Steel | |
|---------|---------|------------|------|------|---------------------|----------------|
| | | A | B | C | Part # | Price/E |
| 1" | 25 | .75 | 2.01 | 1.57 | 13R-G100SMS | \$39.65 |
| 1½" | 38 | .91 | 2.91 | 2.38 | 13R-G150SMS | 49.75 |
| 2" | 51 | .94 | 3.31 | 2.76 | 13R-G200SMS | 62.30 |
| 2½" | 63.5 | 1.10 | 3.94 | 3.35 | 13R-G250SMS | 80.75 |
| 3" | 76 | 1.18 | 4.49 | 3.88 | 13R-G300SMS | 121.10 |
| 4" | 101.6 | 1.22 | 5.43 | 4.92 | 13R-G400SMS | 146.60 |




SMS Blank Caps - 16AMP

| Tube OD | DN Size | Dimensions | | | | 316 Stainless Steel | |
|---------|---------|------------|-------|------|-------|----------------------|----------------|
| | | A | B | C | D | Part # | Price/E |
| 1" | 25 | .300 | 1.400 | .140 | 1.250 | 16AMP-R100SMS | \$28.05 |
| 1½" | 38 | .310 | 2.200 | .160 | 1.890 | 16AMP-R150SMS | 44.70 |
| 2" | 51 | .350 | 2.560 | .150 | 2.380 | 16AMP-R200SMS | 67.10 |
| 2½" | 63.5 | .350 | 3.150 | .160 | 2.890 | 16AMP-R250SMS | 101.85 |
| 3" | 76 | .430 | 3.660 | .200 | 3.410 | 16AMP-R300SMS | 145.65 |
| 4" | 101.6 | .430 | 4.650 | .230 | 4.430 | 16AMP-R400SMS | 218.25 |



SMS Welding Males - 15A


| Tube OD | DN Size | Dimensions | | 316 Stainless Steel | |
|---------|---------|------------|------|---------------------|----------------|
| | | A | B | Part # | Price/E |
| 1" | 25 | .75 | 1.57 | 15A-R100SMS | \$36.35 |
| 1½" | 38 | .91 | 2.36 | 15A-R150SMS | 46.40 |
| 2" | 51 | .91 | 2.76 | 15A-R200SMS | 65.15 |
| 2½" | 63.5 | 1.06 | 3.35 | 15A-R250SMS | 119.65 |
| 3" | 76 | 1.06 | 3.88 | 15A-R300SMS | 148.20 |
| 4" | 101.6 | 1.18 | 4.92 | 15A-R400SMS | 177.10 |



Sanitary Fittings

SMS Welding Liners - 14A


| Tube OD | DN Size | Dimensions | | 316 Stainless Steel | |
|---------|---------|------------|------|---------------------|----------------|
| | | A | B | Part # | Price/E |
| 1" | 25 | .61 | 1.40 | 14A-R100SMS | \$24.35 |
| 1½" | 38 | .63 | 2.17 | 14A-R150SMS | 34.35 |
| 2" | 51 | .67 | 2.56 | 14A-R200SMS | 42.05 |
| 2½" | 63.5 | .67 | 3.16 | 14A-R250SMS | 55.35 |
| 3" | 76 | .75 | 3.66 | 14A-R300SMS | 87.75 |
| 4" | 101.6 | .75 | 4.65 | 14A-R400SMS | 111.90 |



Spanner Wrenches - SP


• for use on DIN or SMS Round Nuts

| Used On Sizes | DN Size | A | Nickel Plated Steel | |
|---------------|----------|-------|------------------------|-----------------|
| | | | Part # | Price/E |
| 1" - 1½" | 25-38 | 11.00 | DIN-SMS-60/90SP | \$210.95 |
| 2" - 4" | 51-101.6 | 13.00 | DIN-SMS90/155SP | 643.60 |




European Fittings

RJT Hex Nuts - 13H




| Size | A | B | 304 Stainless Steel | |
|------|-----|------|---------------------|----------------|
| | | | Part # | Price/E |
| 1" | .87 | 2.00 | 13H-G100RJT | \$36.95 |
| 1½" | .87 | 2.56 | 13H-G150RJT | 49.60 |
| 2" | .87 | 3.12 | 13H-G200RJT | 64.55 |
| 2½" | .87 | 3.62 | 13H-G250RJT | 80.40 |
| 3" | .87 | 4.12 | 13H-G300RJT | 98.65 |
| 4" | .87 | 5.12 | 13H-G400RJT | 117.70 |

RJT Blank Caps - 13RBN




| Size | A | B | 304 Stainless Steel | |
|------|-----|------|----------------------|----------------|
| | | | Part # | Price/E |
| 1" | .32 | 1.63 | 13RBN-G100RJT | \$19.95 |
| 1½" | .32 | 2.12 | 13RBN-G150RJT | 30.95 |
| 2" | .32 | 2.62 | 13RBN-G200RJT | 46.25 |
| 2½" | .32 | 3.12 | 13RBN-G250RJT | 72.00 |
| 3" | .32 | 3.63 | 13RBN-G300RJT | 94.85 |
| 4" | .32 | 4.63 | 13RBN-G400RJT | 175.55 |

RJT Welding Males - 15A




| Size | A | B | 316 Stainless Steel | |
|------|------|------|---------------------|----------------|
| | | | Part # | Price/E |
| 1" | 1.06 | 1.80 | 15A-R100RJT | \$44.55 |
| 1½" | 1.06 | 2.30 | 15A-R150RJT | 60.50 |
| 2" | 1.06 | 2.86 | 15A-R200RJT | 78.10 |
| 2½" | 1.06 | 3.36 | 15A-R250RJT | 91.35 |
| 3" | 1.06 | 3.86 | 15A-R300RJT | 113.30 |
| 4" | 1.06 | 4.86 | 15A-R400RJT | 162.10 |

RJT Welding Liners - 14A



| Size | A | B | 316 Stainless Steel | |
|------|-----|------|---------------------|----------------|
| | | | Part # | Price/E |
| 1" | .77 | 1.63 | 14A-R100RJT | \$29.85 |
| 1½" | .77 | 2.13 | 14A-R150RJT | 33.75 |
| 2" | .77 | 2.63 | 14A-R200RJT | 42.35 |
| 2½" | .77 | 3.13 | 14A-R250RJT | 57.70 |
| 3" | .77 | 3.63 | 14A-R300RJT | 67.00 |
| 4" | .77 | 4.63 | 14A-R400RJT | 93.35 |

RJT Spanner Wrenches - SP



| Size | A | B | Aluminum | |
|------|-------|------|------------------|-----------------|
| | | | Part # | Price/E |
| 1" | 10.00 | 2.00 | RJT-100SP | \$285.20 |
| 1½" | 11.50 | 2.56 | RJT-150SP | 326.60 |
| 2" | 12.00 | 3.12 | RJT-200SP | 383.15 |
| 2½" | 13.50 | 3.62 | RJT-250SP | 500.70 |
| 3" | 14.50 | 4.12 | RJT-300SP | 616.80 |
| 4" | 17.50 | 5.12 | RJT-400SP | 772.15 |

European Gaskets**DIN Buna-N European Gaskets - Black**

- color code: red dot
- meets 21CFR 177.2600

| Size | DN Size | ID | OD | Ht | Part # | Price/E |
|------|---------|------|------|-----|---------------------|---------------|
| 1" | 25 | 1.18 | 1.57 | .20 | 40MP-U100DIN | \$7.85 |
| 1½" | 40 | 1.65 | 2.05 | .20 | 40MP-U150DIN | 12.45 |
| 2" | 50 | 2.13 | 2.52 | .20 | 40MP-U200DIN | 13.00 |
| 2½" | 65 | 2.80 | 3.19 | .20 | 40MP-U250DIN | 15.20 |
| 3" | 80 | 3.35 | 3.74 | .20 | 40MP-U300DIN | 17.45 |
| 4" | 100 | 4.09 | 4.49 | .24 | 40MP-U400DIN | 21.95 |

**SMS Buna-N European Gaskets - Black**

- color code: red dot
- meets 21CFR 177.2600

| Size | DN Size | ID | OD | Part # | Price/E |
|------|---------|------|------|---------------------|---------------|
| 1" | 25 | .98 | 1.26 | 40MP-U100SMS | \$6.95 |
| 1½" | 38 | 1.49 | 1.89 | 40MP-U150SMS | 2.35 |
| 2" | 51 | 2.00 | 2.40 | 40MP-U200SMS | 2.50 |
| 2½" | 63.5 | 2.50 | 2.89 | 40MP-U250SMS | 2.70 |
| 3" | 76 | 2.99 | 3.39 | 40MP-U300SMS | 4.95 |
| 4" | 101.6 | 4.09 | 4.49 | 40MP-U400SMS | 20.75 |

**RJT Buna-N European Gaskets - Black**

- color code: red dot
- meets 21CFR 177.2600


| Size | ID | Ø | Part # | Price/E |
|------|------|-----|---------------------|---------------|
| 1" | 1.06 | .25 | 40MP-U100RJT | \$8.75 |
| 1½" | 1.56 | .25 | 40MP-U150RJT | 9.45 |
| 2" | 2.06 | .25 | 40MP-U200RJT | 11.00 |
| 2½" | 2.56 | .25 | 40MP-U250RJT | 14.20 |
| 3" | 3.06 | .25 | 40MP-U300RJT | 17.75 |
| 4" | 4.06 | .25 | 40MP-U400RJT | 48.20 |

Sanitary
Fittings

Bevel Seat Hex Nuts

Hex Union Nuts - 13H


• 400 PSI maximum



| Tube OD | Dimensions | | 304 Stainless Steel | |
|---------|------------|-------|---------------------|----------------|
| | A | B | Part # | Price/E |
| 1" | .906 | 1.812 | 13H-G100 | \$20.15 |
| 1½" | .968 | 2.406 | 13H-G150 | 28.40 |
| 2" | 1.062 | 3.000 | 13H-G200 | 36.50 |
| 2½" | 1.187 | 3.594 | 13H-G250 | 54.55 |
| 3" | 1.281 | 4.188 | 13H-G300 | 72.50 |
| 4" | 1.500 | 5.438 | 13H-G400 | 126.00 |


Bevel Seat Hex Wrenches

Single Sided Hex Wrenches - 25H



| Tube OD | Dimensions | | Weight Lbs. | Aluminum | |
|---------|------------|-------|-------------|----------------|----------------|
| | A | B | | Part # | Price/E |
| 1" | 10.500 | 1.812 | .64 | 25H-100 | \$51.30 |
| 1½" | 12.000 | 2.406 | .86 | 25H-150 | 53.00 |
| 2" | 14.000 | 3.000 | 1.76 | 25H-200 | 65.00 |
| 2½" | 16.250 | 3.594 | 2.40 | 25H-250 | 95.95 |
| 3" | 18.500 | 4.188 | 3.04 | 25H-300 | 133.25 |
| 4" | 19.500 | 5.438 | 3.62 | 25H-400 | 169.70 |

Two Sided Hex Wrenches - 25H




| Tube OD | Dimensions | | | Weight Lbs. | Aluminum | |
|----------|------------|-------|-------|-------------|-------------------|----------------|
| | A | B | C | | Part # | Price/E |
| 1½" x 1" | 12.000 | 2.406 | 1.812 | 1.00 | 25H-150100 | \$95.80 |
| 2" x 1½" | 14.000 | 3.000 | 2.406 | 1.75 | 25H-200150 | 107.00 |
| 2½" x 2" | 16.500 | 3.594 | 3.000 | 2.80 | 25H-250200 | 129.05 |
| 3" x 2" | 18.000 | 4.188 | 3.000 | 3.20 | 25H-300200 | 149.30 |
| 3" x 2½" | 18.000 | 4.188 | 3.594 | 3.70 | 25H-300250 | 172.00 |

Bevel Seat Ferrules


3 Short Plain Bevel Seat Weld Ferrules - 14PRF

| Tube OD | Dimensions | | 304 Stainless Steel | |
|---------|------------|-------|---------------------|----------------|
| | A | B | Part # | Price/E |
| 1" | .718 | .870 | 14PRF-G100 | \$12.00 |
| 1½" | .718 | 1.370 | 14PRF-G150 | 14.60 |
| 2" | .750 | 1.870 | 14PRF-G200 | 19.15 |
| 2½" | .875 | 2.370 | 14PRF-G250 | 26.55 |
| 3" | .906 | 2.870 | 14PRF-G300 | 34.35 |
| 4" | 1.031 | 3.834 | 14PRF-G400 | 55.70 |



3 Long Plain Bevel Seat Weld Ferrules - 14A


| Tube OD | Dimensions | | 304 Stainless Steel | |
|---------|------------|-------|---------------------|----------------|
| | A | B | Part # | Price/E |
| 1" | 1.375 | .870 | 14A-G100 | \$17.20 |
| 1½" | 1.500 | 1.370 | 14A-G150 | 21.65 |
| 2" | 1.500 | 1.870 | 14A-G200 | 32.90 |
| 2½" | 1.750 | 2.370 | 14A-G250 | 40.70 |
| 3" | 1.750 | 2.870 | 14A-G300 | 53.65 |
| 4" | 1.750 | 3.834 | 14A-G400 | 79.25 |



3* Recessless Plain Bevel Seat Ferrules - 14R


- * Meets 3-A Standard Number 63-03 when used to modify or repair existing on-site farm milk handling systems.
- for expanding only

| Tube OD | Dimensions | | 304 Stainless Steel | |
|---------|------------|-------|---------------------|----------------|
| | A | B | Part # | Price/E |
| 1½" | 1.125 | 1.500 | 14R-G150 | \$17.60 |
| 2" | 1.312 | 2.000 | 14R-G200 | 23.05 |
| 2½" | 1.375 | 2.500 | 14R-G250 | 29.60 |
| 3" | 1.437 | 3.000 | 14R-G300 | 37.60 |
| 4" | 1.500 | 4.000 | 14R-G400 | 60.30 |




Bevel Seat Ferrules

3 Short Threaded Bevel Seat Weld Ferrules - 15TRF




| Tube OD | Dimensions | | 304 Stainless Steel | |
|---------|------------|-------|---------------------|----------------|
| | A | B | Part # | Price/E |
| 1" | .718 | .870 | 15TRF-G100 | \$14.05 |
| 1½" | .718 | 1.370 | 15TRF-G150 | 16.85 |
| 2" | .750 | 1.870 | 15TRF-G200 | 22.35 |
| 2½" | .875 | 2.370 | 15TRF-G250 | 29.50 |
| 3" | .906 | 2.870 | 15TRF-G300 | 38.05 |
| 4" | 1.031 | 3.834 | 15TRF-G400 | 63.85 |

3 Long Threaded Bevel Seat Weld Ferrules - 15A



| Tube OD | Dimensions | | 304 Stainless Steel | |
|---------|------------|-------|---------------------|----------------|
| | A | B | Part # | Price/E |
| 1" | 1.375 | 0.870 | 15A-G100 | \$23.70 |
| 1½" | 1.500 | 1.370 | 15A-G150 | 33.15 |
| 2" | 1.500 | 1.870 | 15A-G200 | 41.20 |
| 2½" | 1.750 | 2.370 | 15A-G250 | 55.10 |
| 3" | 1.750 | 2.870 | 15A-G300 | 72.50 |
| 4" | 1.750 | 3.834 | 15A-G400 | 107.35 |

3* Recessless Threaded Bevel Seat Ferrules - 15R



- * Meets 3-A Standard Number 63-03 when used to modify or repair existing on-site farm milk handling systems.
- For expanding only

| Tube OD | Dimensions | | 304 Stainless Steel | |
|---------|------------|-------|---------------------|----------------|
| | A | B | Part # | Price/E |
| 1½" | 1.125 | 1.500 | 15R-G150 | \$25.90 |
| 2" | 1.375 | 2.000 | 15R-G200 | 32.35 |
| 2½" | 1.500 | 2.500 | 15R-G250 | 44.15 |
| 3" | 1.675 | 3.000 | 15R-G300 | 52.15 |
| 4" | 1.675 | 4.000 | 15R-G400 | 82.80 |

Bevel Seat End Caps


3 Plain Bevel Seat Solid End Caps - 16A



| Tube OD | Dimension | 304 Stainless Steel | |
|---------|-----------|---------------------|---------------|
| | A | Part # | Price/E |
| 1" | 1.312 | 16A-G100 | \$9.55 |
| 1½" | 1.843 | 16A-G150 | 16.85 |
| 2" | 2.375 | 16A-G200 | 25.30 |
| 2½" | 2.906 | 16A-G250 | 33.80 |
| 3" | 3.437 | 16A-G300 | 49.55 |
| 4" | 4.500 | 16A-G400 | 89.30 |

Bevel Seat Adapters**Plain Bevel Seat x Male NPT Adapters with Hex Nut - 14-19**


| Tube OD | Dimension A | 304 Stainless Steel | |
|---------|-------------|---------------------|-----------------|
| | | Part # | Price/E |
| 1½" | 3.250 | 14-19-G150 | \$380.40 |
| 2" | 3.312 | 14-19-G200 | 463.45 |
| 3" | 4.250 | 14-19-G300 | 557.80 |



- hex nut is CF8 (304 stainless steel)

Bevel Seat Elbows**Threaded Bevel Seat x Plain Bevel Seat with Hex Nut 90° Elbows - B2F**


| Tube OD | Dimension A | 304 Stainless Steel | |
|---------|-------------|---------------------|-----------------|
| | | Part # | Price/E |
| 1½" | 2.968 | B2F-G150 | \$246.25 |
| 2" | 3.750 | B2F-G200 | 255.95 |
| 2½" | 4.625 | B2F-G250 | 286.65 |
| 3" | 5.406 | B2F-G300 | 344.55 |



- hex nut is CF8 (304 stainless steel)

Plain Bevel Seat x Plain Bevel Seat with Hex Nut 90° Elbows - B2E

| Tube OD | Dimension A | 304 Stainless Steel | |
|---------|-------------|---------------------|-----------------|
| | | Part # | Price/E |
| 1½" | 2.968 | B2E-G150 | \$243.60 |
| 2" | 3.750 | B2E-G200 | 305.20 |
| 2½" | 4.625 | B2E-G250 | 321.05 |
| 3" | 5.406 | B2E-G300 | 449.15 |




- hex nut is CF8 (304 stainless steel)


Sanitary Fittings


Bevel Seat Reducers**Plain Bevel Seat x Threaded Bevel Seat Concentric Reducers - B3115F**

| Tube OD | Dimension A | 304 Stainless Steel | |
|----------|-------------|-----------------------|-----------------|
| | | Part # | Price/E |
| 2" x 1½" | 3.468 | B3115F-G200150 | \$163.80 |
| 2½" x 2" | 3.625 | B3115F-G250200 | 183.80 |
| 3" x 2" | 5.656 | B3115F-G300200 | 227.70 |
| 3" x 2½" | 3.781 | B3115F-G300250 | 283.40 |
| 4" x 3" | 5.937 | B3115F-G400300 | 331.45 |

**Threaded Bevel Seat x Plain Bevel Seat with Hex Nut Concentric Reducers - B31TP**

| Tube OD | Dimension A | 304 Stainless Steel | |
|----------|-------------|----------------------|-----------------|
| | | Part # | Price/E |
| 2" x 1½" | 3.468 | B31TP-G200150 | \$193.05 |
| 2½" x 2" | 3.625 | B31TP-G250200 | 219.10 |
| 3" x 2" | 5.656 | B31TP-G300200 | 288.35 |
| 3" x 2½" | 3.781 | B31TP-G300250 | 325.95 |
| 4" x 3" | 5.937 | B31TP-G400300 | 395.35 |



Bevel Seat Gaskets**Buna-N Bevel Seat Gaskets - Black**


- color code: red dot
- meets 21CFR 177.2600

| Size | Part # | Price/E |
|------|------------------|---------------|
| 1" | 40BS-O100 | \$1.65 |
| 1½" | 40BS-O150 | 1.40 |
| 2" | 40BS-O200 | 1.50 |
| 2½" | 40BS-O250 | 2.70 |
| 3" | 40BS-O300 | 3.15 |
| 4" | 40BS-O400 | 5.60 |

PTFE (Teflon®) Bevel Seat Gaskets - White

- color code: no dot
- meets 21CFR 177.1550
- passed USP Class VI Cytotoxicity testing

| Size | Part # | Price/E |
|------|------------------|---------------|
| 1" | 40BS-S100 | \$2.40 |
| 1½" | 40BS-S150 | 2.10 |
| 2" | 40BS-S200 | 2.35 |
| 2½" | 40BS-S250 | 3.25 |
| 3" | 40BS-S300 | 4.40 |
| 4" | 40BS-S400 | 6.85 |

Heavy PTFE (Teflon®) Bevel Seat Gaskets

- color code: no dot
- meets 21CFR 177.1550
- passed USP Class VI Cytotoxicity testing

| Size | Part # | Price/E |
|------|------------------|---------------|
| 1" | 40BS-H100 | \$3.75 |
| 1½" | 40BS-H150 | 3.95 |
| 2" | 40BS-H200 | 4.40 |
| 2½" | 40BS-H250 | 5.90 |
| 3" | 40BS-H300 | 8.10 |
| 4" | 40BS-H400 | 13.40 |

I-Line Clamps Heavy Duty Clamps - 13ILH

- wing nut tightened to 25 in. lbs. torque
- CF-8 material


| Tube OD | Dimension A | 304 Stainless Steel | |
|----------|-------------|---------------------|----------------|
| | | Part # | Price/E |
| 1" - 1½" | 2.122 | 13ILH100-150 | \$30.85 |
| 2" | 2.654 | 13ILH200 | 40.85 |
| 2½" | 3.185 | 13ILH250 | 56.05 |
| 3" | 3.717 | 13ILH300 | 68.05 |
| 4" | 4.820 | 13ILH400 | 84.05 |
| 6" | 7.689 | 13ILH600 | 159.00 |
| 8" | 9.689 | 13ILH800 | 213.05 |




Bolted Clamps - 13ILB

- nut must be tightened to 20 ft. lbs.
- CF-8 material

| Tube OD | Dimension A | 304 Stainless Steel | |
|----------|-------------|---------------------|----------------|
| | | Part # | Price/E |
| 1" - 1½" | 2.122 | 13ILB100-150 | \$32.20 |
| 2" | 2.654 | 13ILB200 | 56.10 |
| 2½" | 3.185 | 13ILB250 | 76.80 |
| 3" | 3.717 | 13ILB300 | 106.20 |
| 4" | 4.820 | 13ILB400 | 128.30 |



| Tube OD | Dimension A | 304 Stainless Steel | |
|---------|-------------|---------------------|-----------------|
| | | Part # | Price/E |
| 6" | 7.689 | 13ILB600 | \$190.90 |
| 8" | 9.689 | 13ILB800 | 436.60 |




Sanitary Fittings

Q-Line Clamps

Heavy Duty Clamps - 13QLH


- wing nut tightened to 25 in. lbs. torque
- CF-8 material

| Tube OD | Dimension A | 304 Stainless Steel | |
|----------|-------------|---------------------|----------------|
| | | Part # | Price/E |
| 1" - 1½" | 2.122 | 13QLH100-150 | \$30.85 |
| 2" | 2.654 | 13QLH200 | 40.85 |
| 2½" | 3.185 | 13QLH250 | 56.00 |
| 3" | 3.717 | 13QLH300 | 68.05 |
| 4" | 4.820 | 13QLH400 | 84.05 |




I-Line Ferrules

3 Male I-Line Short Weld Ferrules - 14WI



| Tube OD | Dim A | 304 Stainless Steel | | 316L Stainless Steel | |
|---------|-------|---------------------|---------|----------------------|---------|
| | | Part # | Price/E | Part # | Price/E |
| 1" | .600 | 14WI-G100 | \$14.55 | 14WI-R100 | \$22.55 |
| 1½" | .765 | 14WI-G150 | 16.50 | 14WI-R150 | 23.40 |
| 2" | .790 | 14WI-G200 | 25.25 | 14WI-R200 | 33.85 |
| 2½" | .848 | 14WI-G250 | 35.25 | 14WI-R250 | 47.75 |
| 3" | .906 | 14WI-G300 | 46.50 | 14WI-R300 | 73.60 |
| 4" | 1.031 | 14WI-G400 | 75.00 | 14WI-R400 | 107.00 |
| 6" | .940 | --- | --- | 14WI-R600 | 353.45 |
| 8" | .940 | --- | --- | 14WI-R800 | 562.50 |

3 Male I-line Long Weld Ferrules - 14WLI




| Tube OD | Dim A | 304 Stainless Steel | | 316L Stainless Steel | |
|---------|-------|---------------------|---------|----------------------|----------|
| | | Part # | Price/E | Part # | Price/E |
| 1" | 1.562 | 14WLI-G100 | \$48.75 | 14WLI-R100 | \$141.35 |
| 1½" | 1.843 | 14WLI-G150 | 48.80 | 14WLI-R150 | 136.95 |
| 2" | 2.062 | 14WLI-G200 | 57.50 | 14WLI-R200 | 196.45 |
| 2½" | 2.188 | 14WLI-G250 | 85.35 | 14WLI-R250 | 239.45 |
| 3" | 2.375 | 14WLI-G300 | 111.00 | 14WLI-R300 | 393.95 |
| 4" | 2.688 | 14WLI-G400 | 161.75 | 14WLI-R400 | 1154.55 |
| 6" | 2.688 | --- | --- | 14WLI-R600 | 1847.20 |

3 Female I-line Short Weld Ferrules - 15WI



| Tube OD | Dim A | 304 Stainless Steel | | 316L Stainless Steel | |
|---------|-------|---------------------|---------|----------------------|---------|
| | | Part # | Price/E | Part # | Price/E |
| 1" | .785 | 15WI-G100 | \$14.55 | 15WI-R100 | \$23.65 |
| 1½" | .950 | 15WI-G150 | 16.45 | 15WI-R150 | 23.90 |
| 2" | 1.040 | 15WI-G200 | 25.25 | 15WI-R200 | 34.55 |
| 2½" | 1.160 | 15WI-G250 | 35.25 | 15WI-R250 | 50.20 |
| 3" | 1.220 | 15WI-G300 | 48.70 | 15WI-R300 | 74.85 |
| 4" | 1.350 | 15WI-G400 | 75.15 | 15WI-R400 | 108.65 |
| 6" | 1.125 | --- | --- | 15WI-R600 | 363.95 |
| 8" | 1.125 | --- | --- | 15WI-R800 | 532.35 |


3 Female I-line Long Weld Ferrules - 15WLI



| Tube OD | Dim A | 304 Stainless Steel | | 316L Stainless Steel | |
|---------|-------|---------------------|---------|----------------------|----------|
| | | Part # | Price/E | Part # | Price/E |
| 1" | 1.750 | 15WLI-G100 | \$45.75 | 15WLI-R100 | \$147.40 |
| 1½" | 2.031 | 15WLI-G150 | 45.75 | 15WLI-R150 | 147.40 |
| 2" | 2.312 | 15WLI-G200 | 53.80 | 15WLI-R200 | 234.90 |
| 2½" | 2.500 | 15WLI-G250 | 79.95 | 15WLI-R250 | 359.85 |
| 3" | 2.688 | 15WLI-G300 | 103.95 | 15WLI-R300 | 475.80 |
| 4" | 3.000 | 15WLI-G400 | 151.55 | 15WLI-R400 | 685.10 |
| 6" | 3.000 | --- | --- | 15WLI-R600 | 1664.95 |

Q-line Ferrules

3 Q-line Weld Ferrules - 14WQ




| Tube OD | Dimensions | | | 304 Stainless Steel | |
|---------|------------|-------|-------|---------------------|---------|
| | A | B | C | Part # | Price/E |
| 1" | .531 | .870 | 1.000 | 14WQ-G100 | \$51.85 |
| 1½" | .563 | 1.370 | 1.500 | 14WQ-G150 | 38.30 |
| 2" | .813 | 1.870 | 2.000 | 14WQ-G200 | 57.75 |
| 2½" | .938 | 2.370 | 2.500 | 14WQ-G250 | 94.05 |
| 3" | .938 | 2.870 | 3.000 | 14WQ-G300 | 163.20 |
| 4" | 1.000 | 3.834 | 4.000 | 14WQ-G400 | 324.95 |

I-Line End Caps

Male I-line Solid End Caps - 16AI-14I

3
New
for 2012


| Tube OD | Dimensions | | 304 Stainless Steel | | 316L Stainless Steel | |
|---------|------------|-------|---------------------|----------------|----------------------|------------|
| | A | B | Part # | Price/E | Part # | Price/E |
| 1" | .500 | 1.985 | 16AI-14I100 | \$16.20 | 16AI-14I100R | \$0 |
| 1½" | .500 | 1.985 | 16AI-14I150 | 16.20 | 16AI-14I150R | 0 |
| 2" | .562 | 2.640 | 16AI-14I200 | 24.75 | 16AI-14I200R | 0 |
| 2½" | .750 | 3.307 | 16AI-14I250 | 41.45 | 16AI-14I250R | 0 |
| 3" | .750 | 3.870 | 16AI-14I300 | 53.90 | 16AI-14I300R | 0 |
| 4" | .750 | 4.870 | 16AI-14I400 | 92.15 | 16AI-14I400R | 0 |
| 6" | .750 | 7.495 | --- | --- | 16AI-14I600R | 0 |
| 8" | .880 | 9.495 | --- | --- | 16AI-14I800R | 0 |



Female I-line Solid End Caps - 16AI-15I


3
New
for 2012

| Tube OD | Dimensions | | 304 Stainless Steel | | 316L Stainless Steel | |
|---------|------------|-------|---------------------|----------------|----------------------|------------|
| | A | B | Part # | Price/E | Part # | Price/E |
| 1" | .500 | 1.985 | 16AI-15I100 | \$17.15 | 16AI-15I100R | \$0 |
| 1½" | .500 | 1.985 | 16AI-15I150 | 17.15 | 16AI-15I150R | 0 |
| 2" | .562 | 2.640 | 16AI-15I200 | 24.75 | 16AI-15I200R | 0 |
| 2½" | .750 | 3.307 | 16AI-15I250 | 41.45 | 16AI-15I250R | 0 |
| 3" | .750 | 3.870 | 16AI-15I300 | 53.90 | 16AI-15I300R | 0 |
| 4" | .750 | 4.870 | 16AI-15I400 | 92.15 | 16AI-15I400R | 0 |
| 6" | .750 | 7.495 | --- | --- | 16AI-15I600R | 0 |
| 8" | .880 | 9.495 | --- | --- | 16AI-15I800R | 0 |



Q-Line Solid End Caps - 16AQ

| Tube OD | Dimension A | 304 Stainless Steel | |
|---------|-------------|---------------------|----------------|
| | | Part # | Price/E |
| 1" | .313 | 16AQ-G100 | \$39.80 |
| 1½" | .313 | 16AQ-G150 | 39.80 |
| 2" | .438 | 16AQ-G200 | 61.15 |
| 2½" | .500 | 16AQ-G250 | 84.85 |
| 3" | .500 | 16AQ-G300 | 136.95 |
| 4" | .625 | 16AQ-G400 | 304.80 |



I-Line Gaskets

Buna-N I-Line Gaskets



- color code: red dot
- meets 21CFR 177.2600
- 3/32" thick

| Size | Part # | Price/E |
|------|---------|---------|
| 1" | 40IH100 | \$1.80 |
| 1½" | 40IH150 | 1.50 |
| 2" | 40IH200 | 1.70 |
| 2½" | 40IH250 | 2.65 |
| 3" | 40IH300 | 3.10 |
| 4" | 40IH400 | 4.05 |
| 6" | 40IH600 | 41.00 |
| 8" | 40IH800 | 46.35 |

New

PTFE (Teflon®) I-Line Gaskets - White Virgin



- color code: no dot
- meets 21CFR 177.1550
- pharmaceutical class VI approved
- 1/16" thick

| Size | Part # | Price/E |
|------|---------|---------|
| 1" | 40IT100 | \$2.05 |
| 1½" | 40IT150 | 2.45 |
| 2" | 40IT200 | 2.60 |
| 2½" | 40IT250 | 3.00 |
| 3" | 40IT300 | 3.40 |
| 4" | 40IT400 | 4.55 |
| 6" | 40IT600 | 68.70 |
| 8" | 40IT800 | 80.85 |

New

EPDM I-Line Gaskets



- color code: three green dots
- meets 21CFR 177.2600
- pharmaceutical class VI approved
- peroxide cured
- 3/32" thick

| Size | Part # | Price/E |
|------|---------|---------|
| 1" | 40IE100 | \$2.85 |
| 1½" | 40IE150 | 2.85 |
| 2" | 40IE200 | 3.15 |
| 2½" | 40IE250 | 4.20 |
| 3" | 40IE300 | 4.80 |
| 4" | 40IE400 | 8.35 |
| 6" | 40IE600 | 21.55 |
| 8" | 40IE800 | 37.30 |

New

FKM (Viton®) I-Line Gaskets



- color code: one white dot, one yellow dot
- meets 21CFR 177.2600
- passed USP Class VI Cytotoxicity testing
- peroxide cured
- 1/16" thick

| Size | Part # | Price/E |
|------|---------|---------|
| 1" | 40IV100 | \$9.45 |
| 1½" | 40IV150 | 12.15 |
| 2" | 40IV200 | 14.25 |
| 2½" | 40IV250 | 16.90 |
| 3" | 40IV300 | 21.20 |
| 4" | 40IV400 | 26.65 |
| 6" | 40IV600 | 117.70 |
| 8" | 40IV800 | 127.65 |

New

Q-line Gaskets

Buna-N Q-Line Gaskets



- color code: red dot
- meets 21CFR 177.2600

| Size | Part # | Price/E |
|------|---------|---------|
| 1" | 40QH100 | \$3.55 |
| 1½" | 40QH150 | 3.50 |
| 2" | 40QH200 | 4.60 |
| 2½" | 40QH250 | 5.75 |
| 3" | 40QH300 | 7.45 |
| 4" | 40QH400 | 11.45 |

PTFE (Teflon®) Q-Line Gaskets - White Virgin




- color code: no dot
- meets 21CFR 177.1550
- passed U.S.P. Class VI Cytotoxicity testing

| Size | Part # | Price/E |
|------|---------|---------|
| 1" | 40QT100 | \$10.40 |
| 1½" | 40QT150 | 10.40 |
| 2" | 40QT200 | 13.40 |
| 2½" | 40QT250 | 18.10 |
| 3" | 40QT300 | 19.20 |
| 4" | 40QT400 | 29.30 |

Pipe Size Clamps


Single Pin Heavy Duty Clamps - 13MHHV

| Pipe Size | Dimension A | 304 Stainless Steel | |
|-----------|-------------|---------------------|----------------|
| | | Part # | Price/E |
| 1" | 2.122 | 13MHHV100 | \$15.15 |
| 1½" | 2.654 | 13MHHV150 | 17.15 |
| 2" | 3.185 | 13MHHV200 | 19.65 |
| 2½" | 3.717 | 13MHHV250 | 21.35 |
| 3" | 4.263 | 13MHHV300 | 42.95 |
| 4" | 5.263 | 13MHHV400 | 67.50 |



Bolted Clamp - 13MHPV400


| Pipe Size | Dimension A | 304 Stainless Steel | |
|-----------|-------------|---------------------|----------------|
| | | Part # | Price/E |
| 4" | 5.187 | 13MHPV400 | \$86.45 |



Pipe Size Ferrules


Schedule 5 Short-weld Ferrules - 14WMV

| Pipe Size | Dimensions | | | 316L Stainless Steel | |
|-----------|------------|-------|-------|----------------------|----------------|
| | A | B | C | Part # | Price/E |
| 1" | .500 | 1.185 | 1.315 | 14WMV-R100 | \$36.15 |
| 1½" | .500 | 1.770 | 1.900 | 14WMV-R150 | 49.15 |
| 2" | .500 | 2.245 | 2.375 | 14WMV-R200 | 72.45 |
| 2½" | .500 | 2.709 | 2.875 | 14WMV-R250 | 93.45 |
| 3" | .500 | 3.334 | 3.500 | 14WMV-R300 | 117.35 |
| 4" | .625 | 4.334 | 4.500 | 14WMV-R400 | 196.75 |




Schedule 10 Short-weld Ferrules - 14WMX

| Pipe Size | Dimensions | | | 316L Stainless Steel | |
|-----------|------------|-------|-------|----------------------|----------------|
| | A | B | C | Part # | Price/E |
| 1" | .500 | 1.097 | 1.315 | 14WMX-R100 | \$36.15 |
| 1½" | .500 | 1.682 | 1.900 | 14WMX-R150 | 49.15 |
| 2" | .500 | 2.157 | 2.375 | 14WMX-R200 | 72.45 |
| 2½" | .500 | 2.635 | 2.875 | 14WMX-R250 | 93.45 |
| 3" | .500 | 3.260 | 3.500 | 14WMX-R300 | 117.35 |
| 4" | .625 | 4.260 | 4.500 | 14WMX-R400 | 196.75 |




Schedule 5 Long-weld Ferrules - L14AM7V

| Pipe Size | Dimensions | | | 316L Stainless Steel | |
|-----------|------------|-------|-------|----------------------|----------------|
| | A | B | C | Part # | Price/E |
| 1" | 1.125 | 1.185 | 1.315 | L14AM7V-R100 | \$71.15 |
| 1½" | 1.125 | 1.770 | 1.900 | L14AM7V-R150 | 90.20 |
| 2" | 1.125 | 2.245 | 2.375 | L14AM7V-R200 | 134.80 |
| 2½" | 1.125 | 2.709 | 2.875 | L14AM7V-R250 | 157.55 |
| 3" | 1.125 | 3.334 | 3.500 | L14AM7V-R300 | 221.90 |
| 4" | 1.125 | 4.334 | 4.500 | L14AM7V-R400 | 330.45 |



Pipe Size Ferrules


Schedule 10 Long-weld Ferrules - L14AM7X



| Pipe Size | Dimensions | | | 316L Stainless Steel | |
|-----------|------------|-------|-------|----------------------|---------|
| | A | B | C | Part # | Price/E |
| 1" | 1.125 | 1.097 | 1.315 | L14AM7X-R100 | \$71.15 |
| 1½" | 1.125 | 1.682 | 1.900 | L14AM7X-R150 | 90.20 |
| 2" | 1.125 | 2.157 | 2.375 | L14AM7X-R200 | 134.80 |
| 2½" | 1.125 | 2.635 | 2.875 | L14AM7X-R250 | 157.55 |
| 3" | 1.125 | 3.260 | 3.500 | L14AM7X-R300 | 221.90 |
| 4" | 1.125 | 4.260 | 4.500 | L14AM7X-R400 | 330.45 |

Pipe Size End Caps

Solid End Caps - 16AMV




| Pipe Size | Dimensions | | 304 Stainless Steel | | 316L Stainless Steel | |
|-----------|------------|-------|---------------------|---------|----------------------|---------|
| | A | B | Part # | Price/E | Part # | Price/E |
| 1" | .250 | 1.984 | 16AMV-G100 | \$8.60 | 16AMV-R100 | \$10.55 |
| 1½" | .250 | 2.516 | 16AMV-G150 | 9.45 | 16AMV-R150 | 13.60 |
| 2" | .250 | 3.047 | 16AMV-G200 | 14.20 | 16AMV-R200 | 19.70 |
| 2½" | .250 | 3.579 | 16AMV-G250 | 19.45 | 16AMV-R250 | 26.70 |
| 3" | .312 | 4.125 | 16AMV-G300 | 237.30 | 16AMV-R300 | 285.90 |
| 4" | .312 | 5.125 | 16AMV-G400 | 321.95 | 16AMV-R400 | 438.85 |

• Specify if you are using a piping system or a tubing system when ordering.


Pipe Size Adapters

Tube Weld x Schedule 5 Weld Adapters - B19WV



| Pipe Size | Dim. A | Tube Wall Thickness | Pipe Wall Thickness | 316L Stainless Steel | |
|-----------|--------|---------------------|---------------------|----------------------|---------|
| | | | | Part # | Price/E |
| 1" | 2.000 | .065 | .065 | B19WV-R100 | \$99.00 |
| 1½" | 2.500 | .065 | .065 | B19WV-R150 | 110.30 |
| 2" | 2.500 | .065 | .065 | B19WV-R200 | 129.00 |
| 2½" | 2.500 | .065 | .084 | B19WV-R250 | 152.00 |
| 3" | 2.500 | .065 | .084 | B19WV-R300 | 173.50 |
| 4" | 3.000 | .084 | .084 | B19WV-R400 | 325.35 |


Tube Weld x Schedule 10 Weld Adapters - B19WX



| Pipe Size | Dim. A | Tube Wall Thickness | Pipe Wall Thickness | 316L Stainless Steel | |
|-----------|--------|---------------------|---------------------|----------------------|---------|
| | | | | Part # | Price/E |
| 1" | 2.000 | .065 | .109 | B19WX-R100 | \$99.50 |
| 1½" | 2.500 | .065 | .109 | B19WX-R150 | 110.75 |
| 2" | 2.500 | .065 | .109 | B19WX-R200 | 129.65 |
| 2½" | 2.500 | .065 | .120 | B19WX-R250 | 152.70 |
| 3" | 2.500 | .065 | .120 | B19WX-R300 | 174.30 |
| 4" | 3.000 | .084 | .120 | B19WX-R400 | 326.80 |

New for 2012

Clamp x Schedule 10 Weld Adapters - B19MPX




| Pipe Size | A | B | C | Pipe Wall Thickness | 316L Stainless Steel | |
|-----------|-------|-------|-------|---------------------|----------------------|---------|
| | | | | | Part # | Price/E |
| 1" | 1.125 | 1.097 | 1.315 | .109 | B19MPX-R100 | \$79.00 |
| 1½" | 1.125 | 1.682 | 1.900 | .109 | B19MPX-R150 | 157.30 |
| 2" | 1.125 | 2.157 | 2.375 | .109 | B19MPX-R200 | 236.85 |
| 2½" | 1.125 | 2.635 | 2.875 | .120 | B19MPX-R250 | 259.90 |
| 3" | 1.125 | 3.260 | 3.500 | .120 | B19MPX-R300 | 323.30 |
| 4" | 1.125 | 4.260 | 4.500 | .120 | B19MPX-R400 | 388.35 |

Pipe Size Hangers

Hex Pipe Size Hanger with Grommets - B24RV *

| Pipe Size | Dimensions | | 304 Stainless Steel | |
|-----------|------------|-------|---------------------|----------------|
| | A | B | Part # | Price/E |
| 1" | 3.625 | 2.125 | B24RV-G100 | \$23.30 |
| 1½" | 3.625 | 2.125 | B24RV-G150 | 25.40 |
| 2" | 4.312 | 2.625 | B24RV-G200 | 28.00 |
| 2½" | 4.875 | 3.125 | B24RV-G250 | 31.80 |
| 3" | 5.375 | 3.625 | B24RV-G300 | 37.35 |
| 4" | 6.562 | 4.750 | B24RV-G400 | 37.90 |
| 6" | 9.000 | 6.625 | B24RV-G600 | 107.30 |


* for coupler options call Dixon Sanitary



Hex Pipe Size Hanger with Polypropylene Sleeves - B24PV *

| Pipe Size | Dimensions | | 304 Stainless Steel | |
|-----------|------------|-------|---------------------|----------------|
| | A | B | Part # | Price/E |
| 1" | 3.625 | 2.125 | B24PV-G100 | \$35.75 |
| 1½" | 4.312 | 2.625 | B24PV-G150 | 36.40 |
| 2" | 4.875 | 3.125 | B24PV-G200 | 40.15 |
| 2½" | 4.812 | 3.125 | B24PV-G250 | 49.60 |
| 3" | 6.000 | 4.250 | B24PV-G300 | 49.85 |
| 4" | 7.500 | 5.625 | B24PV-G400 | 56.75 |
| 6" | 9.750 | 7.375 | B24PV-G600 | 200.70 |


* for coupler options call Dixon Sanitary



Polypropylene Pipe Size Sleeves - 13PV


| Size | Part # | Price/E |
|------|-----------------|----------------|
| 1" | 13PV-100 | \$19.50 |
| 1½" | 13PV-150 | 19.50 |
| 2" | 13PV-200 | 19.50 |
| 2½" | 13PV-250 | 29.65 |
| 3" | 13PV-300 | 31.85 |
| 4" | 13PV-400 | 35.75 |
| 6" | 13PV-600 | 131.25 |



Schedule 5 and 10 Pipe Gaskets**Buna-N Pipe Gaskets- 40MPV-U**

- color code: red dot
- meets 21CFR 177.2600

| Size | Part # | Price/E |
|------|-------------------|---------------|
| 1" | 40MPV-U100 | \$7.45 |
| 1½" | 40MPV-U150 | 7.10 |
| 2" | 40MPV-U200 | 7.45 |
| 2½" | 40MPV-U250 | 6.80 |
| 3" | 40MPV-U300 | 6.95 |
| 4" | 40MPV-U400 | 7.10 |

PTFE (Teflon®) Pipe Gaskets - 40MPV-G


- color code: no dot
- meets 21CFR 177.1550
- passed USP Class VI Cytotoxicity testing
- not recommended for use with bolted clamps

| Size | Part # | Price/E |
|------|-------------------|----------------|
| 1" | 40MPV-G100 | \$33.25 |
| 1½" | 40MPV-G150 | 25.10 |
| 2" | 40MPV-G200 | 31.40 |
| 2½" | 40MPV-G250 | 51.75 |
| 3" | 40MPV-G300 | 57.50 |
| 4" | 40MPV-G400 | 66.75 |

Weld Elbows


90° Polished Weld Elbow with Tangent - B2S

| Tube OD | Dimension A | Nominal Wall | polished ID/OD 304 Stainless Steel | | polished ID/OD 316L Stainless Steel | |
|---------|-------------|--------------|---------------------------------------|----------------|--|----------------|
| | | | Part # | Price/E | Part # | Price/E |
| ¾" | 3.000 | .065 | --- | --- | B2S-R75P | \$96.60 |
| 1" | 2.062 | .065 | B2S-G100P | \$34.00 | B2S-R100P | 37.95 |
| 1½" | 2.937 | .065 | B2S-G150P | 36.35 | B2S-R150P | 42.40 |
| 2" | 4.062 | .065 | B2S-G200P | 39.50 | B2S-R200P | 58.55 |
| 2½" | 5.187 | .065 | B2S-G250P | 56.25 | B2S-R250P | 88.25 |
| 3" | 6.312 | .065 | B2S-G300P | 81.85 | B2S-R300P | 121.60 |
| 4" | 8.312 | .083 | B2S-G400P | 146.50 | B2S-R400P | 223.40 |




90° Polished Weld Elbow - B2WCL

| Tube OD | Dimension A | Nominal Wall | polished ID/OD 304 Stainless Steel | | polished ID/OD 316L Stainless Steel | |
|---------|-------------|--------------|---------------------------------------|----------------|--|----------------|
| | | | Part # | Price/E | Part # | Price/E |
| ½" | 1.125 | .065 | --- | --- | B2WCL-R50P | \$35.20 |
| ¾" | 1.125 | .065 | --- | --- | B2WCL-R75P | 35.20 |
| 1" | 1.500 | .065 | B2WCL-G100P | \$18.25 | B2WCL-R100P | 22.00 |
| 1½" | 2.250 | .065 | B2WCL-G150P | 23.35 | B2WCL-R150P | 29.45 |
| 2" | 3.000 | .065 | B2WCL-G200P | 31.85 | B2WCL-R200P | 40.55 |
| 2½" | 3.750 | .065 | B2WCL-G250P | 51.30 | B2WCL-R250P | 67.20 |
| 3" | 4.500 | .065 | B2WCL-G300P | 72.95 | B2WCL-R300P | 93.25 |
| 4" | 6.000 | .083 | B2WCL-G400P | 139.80 | B2WCL-R400P | 170.00 |
| 6" | 9.000 | .109 | B2WCL-G600P | 767.90 | B2WCL-R600P | 883.40 |
| 8" | 12.000 | .120 | B2WCL-G800P | 1451.05 | B2WCL-R800P | 1643.95 |



90° Clamp x Polished Weld Elbow - B2CM

| Tube OD | Dimensions | | Nom. Wall | polished ID/OD 304 Stainless Steel | | polished ID/OD 316L Stainless Steel | |
|---------|------------|-------|-----------|---------------------------------------|----------------|--|----------------|
| | A | B | | Part # | Price/E | Part # | Price/E |
| 1" | 2.562 | 2.062 | .065 | B2CM-G100 | \$84.65 | B2CM-R100 | \$97.80 |
| 1½" | 3.438 | 2.937 | .065 | B2CM-G150 | 79.50 | B2CM-R150 | 96.55 |
| 2" | 4.562 | 4.062 | .065 | B2CM-G200 | 94.90 | B2CM-R200 | 110.65 |
| 2½" | 5.688 | 5.187 | .065 | B2CM-G250 | 124.25 | B2CM-R250 | 154.60 |
| 3" | 6.812 | 6.312 | .065 | B2CM-G300 | 165.25 | B2CM-R300 | 229.15 |
| 4" | 8.937 | 8.312 | .083 | B2CM-G400 | 253.25 | B2CM-R400 | 320.20 |




Sanitary Fittings

Plain End Bevel Seat with Hex x 90° Polished Weld Elbow - B2FP


| Tube OD | Dimensions | | Nominal Wall | polished ID/OD 304 Stainless Steel | |
|---------|------------|-------|--------------|---------------------------------------|-----------------|
| | A | B | | Part # | Price/E |
| 1½" | 3.656 | 2.937 | .065 | B2FP-G150 | \$139.60 |
| 2" | 4.812 | 4.062 | .065 | B2FP-G200 | 158.05 |
| 2½" | 6.062 | 5.187 | .065 | B2FP-G250 | 234.80 |
| 3" | 7.218 | 6.312 | .065 | B2FP-G300 | 287.25 |

• hex nuts are CF8 (304) stainless



Weld Elbows

3 45° Polished Weld Elbow with Tangent - B2KS



| Tube OD | Dimension A | Nominal Wall | polished ID/OD 304 Stainless Steel | | polished ID/OD 316L Stainless Steel | |
|---------|-------------|--------------|---------------------------------------|----------------|--|-----------------|
| | | | Part # | Price/E | Part # | Price/E |
| 3/4" | 2.250 | .065 | --- | --- | B2KS-R75P | \$144.60 |
| 1" | 1.188 | .065 | B2KS-G100P | \$27.95 | B2KS-R100P | 30.35 |
| 1 1/2" | 1.625 | .065 | B2KS-G150P | 30.35 | B2KS-R150P | 35.70 |
| 2" | 2.312 | .065 | B2KS-G200P | 37.50 | B2KS-R200P | 49.40 |
| 2 1/2" | 3.000 | .065 | B2KS-G250P | 51.70 | B2KS-R250P | 68.90 |
| 3" | 3.688 | .065 | B2KS-G300P | 69.90 | B2KS-R300P | 99.20 |
| 4" | 4.812 | .083 | B2KS-G400P | 120.35 | B2KS-R400P | 161.90 |

3 45° Polished Weld Elbow - B2WK



| Tube OD | Dimensions | | Nom. Wall | polished ID/OD 304 Stainless Steel | | polished ID/OD 316L Stainless Steel | |
|---------|------------|--------|-----------|---------------------------------------|----------------|--|----------------|
| | A | R | | Part # | Price/E | Part # | Price/E |
| 1" | .625 | 1.500 | .065 | B2WK-G100P | \$20.50 | B2WK-R100P | \$22.15 |
| 1 1/2" | .937 | 2.250 | .065 | B2WK-G150P | 19.75 | B2WK-R150P | 22.55 |
| 2" | 1.250 | 3.000 | .065 | B2WK-G200P | 26.05 | B2WK-R200P | 36.05 |
| 2 1/2" | 1.562 | 3.750 | .065 | B2WK-G250P | 38.10 | B2WK-R250P | 52.30 |
| 3" | 1.875 | 4.500 | .065 | B2WK-G300P | 64.45 | B2WK-R300P | 83.30 |
| 4" | 2.500 | 6.000 | .083 | B2WK-G400P | 122.40 | B2WK-R400P | 157.45 |
| 6" | 3.750 | 9.000 | .109 | B2WK-G600P | 617.45 | B2WK-R600P | 758.55 |
| 8" | 5.000 | 12.000 | .120 | --- | --- | B2WK-R800P | 1183.60 |

3 45° Clamp x Polished Weld Elbow - B2KM




| Tube OD | Dimensions | | Nom. Wall | polished ID/OD 304 Stainless Steel | | polished ID/OD 316L Stainless Steel | |
|---------|------------|-------|-----------|---------------------------------------|----------------|--|-----------------|
| | A | B | | Part # | Price/E | Part # | Price/E |
| 1" | 1.188 | 1.688 | .065 | B2KM-G100 | \$96.10 | B2KM-R100 | \$113.45 |
| 1 1/2" | 1.625 | 2.125 | .065 | B2KM-G150 | 99.65 | B2KM-R150 | 123.60 |
| 2" | 2.312 | 2.812 | .065 | B2KM-G200 | 126.50 | B2KM-R200 | 132.85 |
| 2 1/2" | 3.000 | 3.500 | .065 | B2KM-G250 | 156.50 | B2KM-R250 | 213.85 |
| 3" | 3.688 | 4.188 | .065 | B2KM-G300 | 211.95 | B2KM-R300 | 258.35 |
| 4" | 4.812 | 5.437 | .083 | B2KM-G400 | 452.00 | B2KM-R400 | 573.25 |

Weld Tees


Polished Weld Short Tees - B7WWW 3

| Tube OD | Dimensions | | Nominal Wall | polished ID/OD 304 Stainless Steel | | polished ID/OD 316L Stainless Steel | |
|---------|------------|-------|--------------|---------------------------------------|----------------|--|----------------|
| | A | B | | Part # | Price/E | Part # | Price/E |
| 1" | 2.250 | 1.125 | .065 | B7WWW-G100P | \$39.40 | B7WWW-R100P | \$46.85 |
| 1½" | 3.312 | 1.656 | .065 | B7WWW-G150P | 44.45 | B7WWW-R150P | 49.10 |
| 2" | 4.124 | 2.062 | .065 | B7WWW-G200P | 55.90 | B7WWW-R200P | 62.25 |
| 2½" | 4.688 | 2.344 | .065 | B7WWW-G250P | 69.15 | B7WWW-R250P | 81.15 |
| 3" | 5.188 | 2.594 | .065 | B7WWW-G300P | 97.75 | B7WWW-R300P | 120.20 |
| 4" | 6.876 | 3.438 | .083 | B7WWW-G400P | 151.45 | B7WWW-R400P | 177.60 |



Polished Weld Long Tees - B7W 3


| Tube OD | Dimensions | | Nominal Wall | polished ID/OD 304 Stainless Steel | | polished ID/OD 316L Stainless Steel | |
|---------|------------|-------|--------------|---------------------------------------|----------------|--|-----------------|
| | A | B | | Part # | Price/E | Part # | Price/E |
| ¾" | 4.000 | 2.000 | .065 | --- | --- | B7W-R75P | \$188.70 |
| 1" | 3.750 | 1.875 | .065 | B7W-G100P | \$44.60 | B7W-R100P | 53.00 |
| 1½" | 4.500 | 2.250 | .065 | B7W-G150P | 44.50 | B7W-R150P | 58.35 |
| 2" | 6.000 | 3.000 | .065 | B7W-G200P | 53.00 | B7W-R200P | 82.45 |
| 2½" | 6.000 | 3.000 | .065 | B7W-G250P | 72.60 | B7W-R250P | 114.55 |
| 3" | 6.500 | 3.250 | .065 | B7W-G300P | 108.55 | B7W-R300P | 142.25 |
| 4" | 7.750 | 3.875 | .083 | B7W-G400P | 191.60 | B7W-R400P | 264.80 |



Sanitary Fittings


Polished Weld Reducing Tees - B7RWWW 3

| Tube OD | Dimensions | | | | Nom. Wall | polished ID/OD 304 Stainless Steel | | polished ID/OD 316L Stainless Steel | |
|-----------|------------|-------|-------|-------|-----------|---------------------------------------|----------------|--|----------------|
| | A | B | C | D | | Part # | Price/E | Part # | Price/E |
| 1½" x 1" | 3.312 | 1.375 | 1.500 | 1.000 | .065 | B7RWWW-G150100P | \$68.45 | B7RWWW-R150100P | \$84.95 |
| 2" x 1" | 4.124 | 1.625 | 2.000 | 1.000 | .065 | B7RWWW-G200100P | 94.15 | B7RWWW-R200100P | 107.65 |
| 2" x 1½" | 4.124 | 1.906 | 2.000 | 1.500 | .065 | B7RWWW-G200150P | 94.15 | B7RWWW-R200150P | 107.65 |
| 2½" x 1½" | 4.688 | 2.156 | 2.500 | 1.500 | .065 | B7RWWW-G250150P | 103.20 | B7RWWW-R250150P | 110.20 |
| 2½" x 2" | 4.688 | 2.312 | 2.500 | 2.000 | .065 | B7RWWW-G250200P | 103.20 | B7RWWW-R250200P | 110.20 |
| 3" x 1½" | 5.188 | 2.406 | 3.000 | 1.500 | .065 | B7RWWW-G300150P | 144.70 | B7RWWW-R300150P | 222.85 |
| 3" x 2" | 5.188 | 2.562 | 3.000 | 2.000 | .065 | B7RWWW-G300200P | 144.70 | B7RWWW-R300200P | 222.85 |
| 4" x 2" | 6.876 | 3.062 | 4.000 | 2.000 | .083 | B7RWWW-G400200P | 221.70 | B7RWWW-R400200P | 333.90 |
| 4" x 3" | 6.876 | 3.094 | 4.000 | 3.000 | .083 | B7RWWW-G400300P | 221.70 | B7RWWW-R400300P | 333.90 |



Weld Adapters

Weld Long Hose Adapters - 14WHRL



- suitable for use with band clamps


| Tube OD | Dimensions | | Nominal Wall | 316L Stainless Steel | |
|---------|------------|-------|--------------|----------------------|----------------|
| | A | B | | Part # | Price/E |
| 1" | 3.000 | 1.030 | .116 | 14WHRL-R100 | \$37.95 |
| 1½" | 4.500 | 1.030 | .116 | 14WHRL-R150 | 64.75 |
| 2" | 4.500 | 2.030 | .116 | 14WHRL-R200 | 82.55 |
| 2½" | 5.000 | 2.530 | .116 | 14WHRL-R250 | 112.90 |
| 3" | 5.000 | 3.030 | .116 | 14WHRL-R300 | 134.65 |
| 4" | 4.875 | 4.030 | .116 | 14WHRL-R400 | 188.80 |

SAFETY ALERT

Use of PVC tubing requires special techniques to prevent leakage. All assembly work must be done with heated tube. Cold durometer is 90 as opposed to rubber hose at 65 to 70 durometer. Banding buckles must be at 180° from one another.

Weld Reducers

3 Polished Weld Concentric Reducers - B31W



| Tube OD | Dimensions | | | Nom. Wall | polished ID/OD 304 Stainless Steel | | polished ID/OD 316L Stainless Steel | |
|-----------|------------|-------|-------|-----------|---------------------------------------|----------------|--|-----------------|
| | A | B | C | | Part # | Price/E | Part # | Price/E |
| ¾" x ½" | 1.000 | .750 | .500 | .065 | --- | --- | B31W-R7550P | \$124.90 |
| 1" x ¾" | 1.000 | 1.000 | .750 | .065 | --- | --- | B31W-R10075P | 112.55 |
| 1½" x ¾" | 3.000 | 1.500 | .750 | .065 | --- | --- | B31W-R15075P | 196.90 |
| 1½" x 1" | 2.000 | 1.500 | 1.000 | .065 | B31W-G150100P | \$43.70 | B31W-R150100P | 61.70 |
| 2" x 1" | 4.000 | 2.000 | 1.000 | .065 | B31W-G200100P | 76.90 | B31W-R200100P | 121.05 |
| 2" x 1½" | 2.000 | 2.000 | 1.500 | .065 | B31W-G200150P | 44.45 | B31W-R200150P | 75.20 |
| 2½" x 1½" | 4.000 | 2.500 | 1.500 | .065 | B31W-G250150P | 73.05 | B31W-R250150P | 134.40 |
| 2½" x 2" | 2.000 | 2.500 | 2.000 | .065 | B31W-G250200P | 51.85 | B31W-R250200P | 81.90 |
| 3" x 1½" | 6.000 | 3.000 | 1.500 | .065 | B31W-G300150P | 135.45 | B31W-R300150P | 200.50 |
| 3" x 2" | 4.000 | 3.000 | 2.000 | .065 | B31W-G300200P | 76.25 | B31W-R300200P | 122.65 |
| 3" x 2½" | 2.000 | 3.000 | 2.500 | .065 | B31W-G300250P | 90.45 | B31W-R300250P | 149.45 |
| 4" x 2" | 8.000 | 4.000 | 2.000 | .083 | B31W-G400200P | 196.85 | B31W-R400200P | 290.55 |
| 4" x 2½" | 6.000 | 4.000 | 2.500 | .083 | B31W-G400250P | 210.95 | B31W-R400250P | 267.90 |
| 4" x 3" | 4.000 | 4.000 | 3.000 | .083 | B31W-G400300P | 113.05 | B31W-R400300P | 143.90 |
| 6" x 3" | 5.500 | 6.000 | 3.000 | .109 | B31W-G600300P | 503.20 | B31W-R600300P | 652.25 |
| 6" x 4" | 5.500 | 6.000 | 4.000 | .109 | B31W-G600400P | 438.35 | B31W-R600400P | 572.70 |


Crowder Supply Co., Inc. • 8495 Roslyn St., Commerce City, CO 80022 • Toll Free: 888-883-5144 • www.CrowderSupply.com

Weld Reducers

Polished Weld Eccentric Reducers - B32W

| Tube OD | Dimensions | | | Nom. Wall | polished ID/OD 304 Stainless Steel | | polished ID/OD 316L Stainless Steel | |
|-------------|------------|-------|-------|-----------|---------------------------------------|-----------------|--|-----------------|
| | A | B | C | | Part # | Price/E | Part # | Price/E |
| 1" x 1/2" | 2.000 | 1.000 | .500 | .065 | --- | --- | B32W-R10050P | \$251.20 |
| 2" x 1" | 4.000 | 2.000 | 1.000 | .065 | B32W-G200100P | \$159.90 | B32W-R200100P | 176.90 |
| 2" x 1 1/2" | 2.000 | 2.000 | 1.500 | .065 | B32W-G200150P | 73.95 | B32W-R200150P | 100.25 |
| 2 1/2" x 2" | 2.000 | 2.500 | 2.000 | .065 | B32W-G250200P | 77.60 | B32W-R250200P | 102.65 |
| 3" x 2" | 4.000 | 3.000 | 2.000 | .065 | B32W-G300200P | 125.60 | B32W-R300200P | 141.90 |
| 3" x 2 1/2" | 2.000 | 3.000 | 2.000 | .065 | B32W-G300250P | 136.30 | B32W-R300250P | 158.55 |
| 4" x 2" | 8.000 | 4.000 | 2.000 | .083 | B32W-G400200P | 260.75 | B32W-R400200P | 323.70 |
| 4" x 3" | 4.000 | 4.000 | 3.000 | .083 | B32W-G400300P | 149.90 | B32W-R400300P | 206.75 |

3.




Weld Crosses

Polished Weld Crosses - B9WWWW

| Tube OD | Dimensions | | Nominal Wall | polished ID/OD 304 Stainless Steel | | polished ID/OD 316L Stainless Steel | |
|---------|------------|-------|--------------|---------------------------------------|-----------------|--|-----------------|
| | A | B | | Part # | Price/E | Part # | Price/E |
| 1 1/2" | 3.312 | 1.656 | .065 | B9WWWW-G150P | \$241.85 | B9WWWW-R150P | \$443.30 |
| 2" | 4.125 | 2.062 | .065 | B9WWWW-G200P | 301.60 | B9WWWW-R200P | 505.20 |
| 3" | 5.187 | 2.593 | .065 | B9WWWW-G300P | 435.25 | B9WWWW-R300P | 819.60 |
| 4" | 6.875 | 3.437 | .083 | B9WWWW-G400P | 671.65 | B9WWWW-R400P | 1047.75 |


3.



Sanitary Fittings


Miscellaneous Weld Configurations

3 Polished Weld Laterals - B28WA



| Tube OD | Dimensions | | | Nominal Wall | polished ID/OD 316L Stainless Steel | |
|---------|------------|-------|--------|--------------|--|-----------------|
| | A | B | C | | Part # | Price/E |
| 1" | 6.000 | 1.000 | 5.000 | .065 | B28WA-R100P | \$518.95 |
| 1½" | 7.375 | 1.188 | 6.188 | .065 | B28WA-R150P | 518.95 |
| 2" | 8.750 | 1.625 | 7.125 | .065 | B28WA-R200P | 582.95 |
| 2½" | 10.000 | 1.500 | 8.500 | .065 | B28WA-R250P | 703.75 |
| 3" | 10.750 | 1.875 | 8.875 | .065 | B28WA-R300P | 935.50 |
| 4" | 12.812 | 2.015 | 10.750 | .083 | B28WA-R400P | 1734.50 |


3 Polished Weld True Y - B28W



| Tube OD | Dimensions | | Nominal Wall | polished ID/OD 316L Stainless Steel | |
|---------|------------|-------|--------------|--|-----------------|
| | A | B | | Part # | Price/E |
| 1" | 2.000 | 2.438 | .065 | B28W-R100P | \$470.45 |
| 1½" | 2.000 | 2.438 | .065 | B28W-R150P | 517.25 |
| 2" | 2.625 | 3.250 | .065 | B28W-R200P | 523.50 |
| 2½" | 3.370 | 4.125 | .065 | B28W-R250P | 726.30 |
| 3" | 4.000 | 4.875 | .065 | B28W-R300P | 785.30 |
| 4" | 5.375 | 5.375 | .083 | B28W-R400P | 1212.65 |

3 180° Polished Weld Return Bends - B2WUL

• bends are standard 1.5 x tube diameter




| Tube OD | Dimensions | | polished ID/OD 316L Stainless Steel | |
|---------|------------|-------|--|-----------------|
| | A | B | Part # | Price/E |
| 1" | 3.000 | 2.000 | B2WUL-R100P | \$216.15 |
| 1½" | 4.500 | 3.000 | B2WUL-R150P | 352.60 |
| 2" | 6.000 | 4.000 | B2WUL-R200P | 454.15 |
| 2½" | 7.500 | 5.000 | B2WUL-R250P | 515.75 |
| 3" | 9.000 | 6.000 | B2WUL-R300P | 749.50 |
| 4" | 12.000 | 8.000 | B2WUL-R400P | 1019.00 |

Unpolished Elbows


90° Unpolished Weld Elbow with Tangent - B2S

| Tube OD | Dimension A | Nominal Wall | unpolished 304 Stainless Steel | | unpolished 316L Stainless Steel | |
|---------|-------------|--------------|--------------------------------|---------------|---------------------------------|----------------|
| | | | Part # | Price/E | Part # | Price/E |
| ¾" | 3.000 | .065 | --- | --- | B2S-R75U | \$75.70 |
| 1" | 2.062 | .065 | B2S-G100U | 23.30 | B2S-R100U | 30.65 |
| 1½" | 2.937 | .065 | B2S-G150U | 26.75 | B2S-R150U | 35.10 |
| 2" | 4.062 | .065 | B2S-G200U | 32.25 | B2S-R200U | 47.30 |
| 2½" | 5.187 | .065 | B2S-G250U | 46.65 | B2S-R250U | 74.30 |
| 3" | 6.312 | .065 | B2S-G300U | 73.20 | B2S-R300U | 109.40 |
| 4" | 8.312 | .083 | B2S-G400U | 130.40 | B2S-R400U | 209.10 |




90° Unpolished Weld Elbows - B2WCL

| Tube OD | Dimension A | Nominal Wall | unpolished 304 Stainless Steel | | unpolished 316L Stainless Steel | |
|---------|-------------|--------------|--------------------------------|----------------|---------------------------------|----------------|
| | | | Part # | Price/E | Part # | Price/E |
| ½" | 1.125 | .065 | --- | --- | B2WCL-R50U | \$27.50 |
| ¾" | 1.125 | .065 | --- | --- | B2WCL-R75U | 29.45 |
| 1" | 1.500 | .065 | B2WCL-G100U | \$15.20 | B2WCL-R100U | 19.90 |
| 1½" | 2.250 | .065 | B2WCL-G150U | 16.25 | B2WCL-R150U | 20.45 |
| 2" | 3.000 | .065 | B2WCL-G200U | 22.55 | B2WCL-R200U | 29.60 |
| 2½" | 3.750 | .065 | B2WCL-G250U | 36.50 | B2WCL-R250U | 47.05 |
| 3" | 4.500 | .065 | B2WCL-G300U | 52.70 | B2WCL-R300U | 68.70 |
| 4" | 6.000 | .083 | B2WCL-G400U | 104.90 | B2WCL-R400U | 133.55 |
| 6" | 9.000 | .109 | B2WCL-G600U | 409.35 | B2WCL-R600U | 599.75 |
| 8" | 12.000 | .120 | B2WCL-G800U | 698.00 | B2WCL-R800U | 897.85 |




45° Unpolished Weld Elbow with Tangent - B2KS

| Tube OD | Dimension A | Nominal Wall | unpolished 304 Stainless Steel | | unpolished 316L Stainless Steel | |
|---------|-------------|--------------|--------------------------------|----------------|---------------------------------|-----------------|
| | | | Part # | Price/E | Part # | Price/E |
| ¾" | 1.125 | .065 | --- | --- | B2KS-R75U | \$118.25 |
| 1" | 1.188 | .065 | B2KS-G100U | \$21.25 | B2KS-R100U | 25.90 |
| 1½" | 1.625 | .065 | B2KS-G150U | 22.65 | B2KS-R150U | 30.45 |
| 2" | 2.312 | .065 | B2KS-G200U | 29.75 | B2KS-R200U | 38.70 |
| 2½" | 3.000 | .065 | B2KS-G250U | 40.55 | B2KS-R250U | 60.00 |
| 3" | 3.688 | .065 | B2KS-G300U | 56.75 | B2KS-R300U | 80.15 |
| 4" | 4.812 | .083 | B2KS-G400U | 104.45 | B2KS-R400U | 140.40 |




45° Unpolished Weld Elbows - B2WK

| Tube OD | Dimensions | | Nom. Wall | unpolished 304 Stainless Steel | | unpolished 316L Stainless Steel | |
|---------|------------|--------|-----------|--------------------------------|----------------|---------------------------------|----------------|
| | A | R | | Part # | Price/E | Part # | Price/E |
| ¾" | .466 | 1.125 | .065 | --- | --- | B2WK-R75U | \$54.60 |
| 1" | .625 | 1.500 | .065 | B2WK-G100U | \$18.90 | B2WK-R100U | 20.85 |
| 1½" | .937 | 2.250 | .065 | B2WK-G150U | 15.45 | B2WK-R150U | 20.15 |
| 2" | 1.250 | 3.000 | .065 | B2WK-G200U | 19.90 | B2WK-R200U | 24.15 |
| 2½" | 1.562 | 3.750 | .065 | B2WK-G250U | 28.40 | B2WK-R250U | 38.30 |
| 3" | 1.875 | 4.500 | .065 | B2WK-G300U | 36.45 | B2WK-R300U | 52.75 |
| 4" | 2.500 | 6.000 | .083 | B2WK-G400U | 80.00 | B2WK-R400U | 102.55 |
| 6" | 3.750 | 9.000 | .109 | B2WK-G600U | 337.15 | B2WK-R600U | 467.30 |
| 8" | 5.000 | 12.000 | .120 | B2WK-G800U | 493.70 | B2WK-R800U | 633.85 |



Sanitary Fittings

Unpolished Weld End Caps - **B16W**



| Tube OD | Dimension A | unpolished 304 Stainless Steel | |
|---------|-------------|--------------------------------|----------------|
| | | Part # | Price/E |
| 1" | .375 | B16W-G100 | \$10.85 |
| 1½" | .562 | B16W-G150 | 13.00 |
| 2" | .750 | B16W-G200 | 22.05 |
| 2½" | 1.000 | B16W-G250 | 27.75 |
| 3" | 1.250 | B16W-G300 | 35.90 |
| 4" | 1.500 | B16W-G400 | 63.60 |

Unpolished Adapters

Male NPT x Weld Adapters - **B19WB**



| Tube OD | Dimension A | 304 Stainless Steel | |
|---------|-------------|---------------------|----------------|
| | | Part # | Price/E |
| 1" | 1.750 | B19WB-G100 | \$18.10 |
| 1½" | 1.750 | B19WB-G150 | 25.35 |
| 2" | 1.812 | B19WB-G200 | 36.95 |
| 2½" | 2.312 | B19WB-G250 | 63.40 |
| 3" | 2.500 | B19WB-G300 | 85.95 |
| 4" | 2.562 | B19WB-G400 | 164.60 |

Female NPT x Weld Adapters - **B22WB**




| Tube OD | Dimension A | 304 Stainless Steel | |
|---------|-------------|---------------------|-----------------|
| | | Part # | Price/E |
| 1" | 1.750 | B22WB-G100 | \$140.55 |
| 1½" | 1.750 | B22WB-G150 | 164.45 |
| 2" | 1.812 | B22WB-G200 | 211.65 |
| 2½" | 2.312 | B22WB-G250 | 329.35 |
| 3" | 2.500 | B22WB-G300 | 391.95 |
| 4" | 2.562 | B22WB-G400 | 494.00 |

Unpolished Tees


Unpolished Weld Short Tees - B7WWW

| Tube OD | Dimensions | | Nom. Wall | unpolished 304 Stainless Steel | | unpolished 316L Stainless Steel | |
|---------|------------|-------|-----------|--------------------------------|----------------|---------------------------------|----------------|
| | A | B | | Part # | Price/E | Part # | Price/E |
| 1" | 2.250 | 1.125 | .065 | B7WWW-G100U | \$22.10 | B7WWW-R100U | \$32.85 |
| 1½" | 3.312 | 1.656 | .065 | B7WWW-G150U | 23.65 | B7WWW-R150U | 43.25 |
| 2" | 4.124 | 2.062 | .065 | B7WWW-G200U | 30.10 | B7WWW-R200U | 53.25 |
| 2½" | 4.688 | 2.344 | .065 | B7WWW-G250U | 45.95 | B7WWW-R250U | 87.50 |
| 3" | 5.188 | 2.594 | .065 | B7WWW-G300U | 62.15 | B7WWW-R300U | 90.15 |
| 4" | 6.876 | 3.438 | .083 | B7WWW-G400U | 128.80 | B7WWW-R400U | 167.30 |



Unpolished Weld Long Tees - B7W


| Tube OD | Dimensions | | Nom. Wall | unpolished 304 Stainless Steel | | unpolished 316L Stainless Steel | |
|---------|------------|-------|-----------|--------------------------------|----------------|---------------------------------|-----------------|
| | A | B | | Part # | Price/E | Part # | Price/E |
| ¾" | 4.000 | 2.000 | .065 | --- | --- | B7W-R75U | \$103.80 |
| 1" | 3.750 | 1.875 | .065 | B7W-G100U | \$25.00 | B7W-R100U | 31.85 |
| 1½" | 4.500 | 2.250 | .065 | B7W-G150U | 27.65 | B7W-R150U | 40.55 |
| 2" | 6.000 | 3.000 | .065 | B7W-G200U | 33.95 | B7W-R200U | 49.05 |
| 2½" | 6.000 | 3.000 | .065 | B7W-G250U | 48.70 | B7W-R250U | 75.00 |
| 3" | 6.500 | 3.250 | .065 | B7W-G300U | 66.30 | B7W-R300U | 105.70 |
| 4" | 7.750 | 3.875 | .083 | B7W-G400U | 109.35 | B7W-R400U | 226.15 |



Sanitary Fittings


Unpolished Weld Reducing Tees - B7RWWW

| Tube OD | Dimensions | | | | Nom. Wall | unpolished 304 Stainless Steel | | unpolished 316L Stainless Steel | |
|-----------|------------|-------|-------|-------|-----------|--------------------------------|----------------|---------------------------------|----------------|
| | A | B | C | D | | Part # | Price/E | Part # | Price/E |
| 1½" x 1" | 3.312 | 1.375 | 1.500 | 1.000 | .065 | B7RWWW-G150100U | \$35.35 | B7RWWW-R150100U | \$65.25 |
| 2" x 1" | 4.124 | 1.625 | 2.000 | 1.000 | .065 | B7RWWW-G200100U | 44.15 | B7RWWW-R200100U | 94.90 |
| 2" x 1½" | 4.124 | 1.906 | 2.000 | 1.500 | .065 | B7RWWW-G200150U | 44.15 | B7RWWW-R200150U | 94.90 |
| 2½" x 1½" | 4.688 | 2.156 | 2.500 | 1.500 | .065 | B7RWWW-G250150U | 69.05 | B7RWWW-R250150U | 78.00 |
| 2½" x 2" | 4.688 | 2.312 | 2.500 | 2.000 | .065 | B7RWWW-G250200U | 69.05 | B7RWWW-R250200U | 78.00 |
| 3" x 1½" | 5.188 | 2.594 | 3.000 | 1.500 | .065 | B7RWWW-G300150U | 100.75 | B7RWWW-R300150U | 156.45 |
| 3" x 2" | 5.188 | 2.594 | 3.000 | 2.000 | .065 | B7RWWW-G300200U | 100.75 | B7RWWW-R300200U | 156.45 |
| 4" x 2" | 6.876 | 3.062 | 4.000 | 2.000 | .083 | B7RWWW-G400200U | 112.10 | B7RWWW-R400200U | 162.05 |
| 4" x 3" | 6.876 | 3.094 | 4.000 | 3.000 | .083 | B7RWWW-G400300U | 112.10 | B7RWWW-R400300U | 162.05 |




Unpolished Weld Reducers

Unpolished Weld Concentric Reducers - B31W



| Tube OD | Dim. A | Nom. Wall | unpolished 304 Stainless Steel | | unpolished 316L Stainless Steel | |
|-----------|--------|-----------|--------------------------------|----------------|---------------------------------|----------------|
| | | | Part # | Price/E | Part # | Price/E |
| ¾" x ½" | 1.000 | .065 | --- | --- | B31W-R7550U | \$81.20 |
| 1" x ¾" | 1.000 | .065 | --- | --- | B31W-R10075U | 100.55 |
| 1½" x ¾" | 3.000 | .065 | --- | --- | B31W-R15075U | 177.15 |
| 1½" x 1" | 2.000 | .065 | B31W-G150100U | \$23.65 | B31W-R150100U | 29.90 |
| 2" x 1" | 4.000 | .065 | B31W-G200100U | 44.15 | B31W-R200100U | 67.30 |
| 2" x 1½" | 2.000 | .065 | B31W-G200150U | 26.65 | B31W-R200150U | 34.15 |
| 2½" x 1½" | 4.000 | .065 | B31W-G250150U | 55.15 | B31W-R250150U | 72.05 |
| 2½" x 2" | 2.000 | .065 | B31W-G250200U | 31.65 | B31W-R250200U | 37.95 |
| 3" x 1½" | 6.000 | .065 | B31W-G300150U | 91.70 | B31W-R300150U | 144.45 |
| 3" x 2" | 4.000 | .065 | B31W-G300200U | 53.70 | B31W-R300200U | 67.45 |
| 3" x 2½" | 2.000 | .065 | B31W-G300250U | 41.80 | B31W-R300250U | 52.20 |
| 4" x 2" | 8.000 | .083 | B31W-G400200U | 132.30 | B31W-R400200U | 151.15 |
| 4" x 2½" | 6.000 | .083 | B31W-G400250U | 126.80 | B31W-R400250U | 154.00 |
| 4" x 3" | 4.000 | .083 | B31W-G400300U | 54.20 | B31W-R400300U | 72.95 |
| 6" x 4" | 5.500 | .109 | B31W-G600400U | 383.70 | B31W-R600400U | 512.15 |

Unpolished Weld Eccentric Reducers - B32W




| Tube OD | Dim. A | Nom. Wall | unpolished 304 Stainless Steel | | unpolished 316L Stainless Steel | |
|----------|--------|-----------|--------------------------------|----------------|---------------------------------|-----------------|
| | | | Part # | Price/E | Part # | Price/E |
| 1" x ½" | 2.000 | .065 | --- | --- | B32W-R10050U | \$105.60 |
| 2" x 1" | 4.000 | .065 | B32W-G200100U | \$65.30 | B32W-R200100U | 138.20 |
| 2" x 1½" | 2.000 | .065 | B32W-G200150U | 37.05 | B32W-R200150U | 39.85 |
| 2½" x 2" | 2.000 | .065 | B32W-G250200U | 49.05 | B32W-R250200U | 51.10 |
| 3" x 2" | 4.000 | .065 | B32W-G300200U | 73.40 | B32W-R300200U | 102.40 |
| 3" x 2½" | 2.000 | .065 | B32W-G300250U | 95.75 | B32W-R300250U | 115.50 |
| 4" x 2" | 8.000 | .083 | B32W-G400200U | 197.75 | B32W-R400200U | 270.10 |
| 4" x 3" | 4.000 | .083 | B32W-G400300U | 84.60 | B32W-R400300U | 128.85 |

Unpolished Miscellaneous Configurations


Unpolished Weld Y - B28W

| Tube OD | Dimensions | | Nominal Wall | unpolished 316L Stainless Steel | |
|---------|------------|-------|--------------|---------------------------------|-----------------|
| | A | B | | Part # | Price/E |
| 1" | 2.000 | 2.438 | .065 | B28W-R100U | \$307.85 |
| 1½" | 2.000 | 2.438 | .065 | B28W-R150U | 394.00 |
| 2" | 2.625 | 3.250 | .065 | B28W-R200U | 435.80 |
| 2½" | 3.370 | 4.125 | .065 | B28W-R250U | 589.75 |
| 3" | 4.000 | 4.875 | .065 | B28W-R300U | 820.35 |
| 4" | 5.375 | 5.375 | .083 | B28W-R400U | 906.75 |



Unpolished Weld Laterals - B28WA


| Tube OD | Dimensions | | | Nominal Wall | unpolished 316L Stainless Steel | |
|---------|------------|-------|--------|--------------|---------------------------------|-----------------|
| | A | B | C | | Part # | Price/E |
| 1" | 6.000 | 1.000 | 5.000 | .065 | B28WA-R100U | \$460.55 |
| 1½" | 7.375 | 1.188 | 6.188 | .065 | B28WA-R150U | 483.60 |
| 2" | 8.750 | 1.625 | 7.125 | .065 | B28WA-R200U | 509.50 |
| 2½" | 10.000 | 1.500 | 8.500 | .065 | B28WA-R250U | 571.30 |
| 3" | 10.750 | 1.875 | 8.875 | .065 | B28WA-R300U | 701.75 |
| 4" | 12.812 | 2.015 | 10.750 | .083 | B28WA-R400U | 775.60 |



Unpolished 180° Return Bends - B2WUL


• bends are 1.5 x tube diameter

| Tube OD | Dimensions | | Nominal Wall | unpolished 316L Stainless Steel | |
|---------|------------|-------|--------------|---------------------------------|-----------------|
| | A | B | | Part # | Price/E |
| 1" | 3.000 | 2.000 | .065 | B2WUL-R100U | \$176.35 |
| 1½" | 4.500 | 3.000 | .065 | B2WUL-R150U | 199.35 |
| 2" | 6.000 | 4.000 | .065 | B2WUL-R200U | 282.60 |
| 2½" | 7.500 | 5.000 | .065 | B2WUL-R250U | 406.00 |
| 3" | 9.000 | 6.000 | .065 | B2WUL-R300U | 512.85 |
| 4" | 12.000 | 8.000 | .083 | B2WUL-R400U | 568.00 |



Sanitary Fittings


Unpolished Stub Ends - 14VB



| Tube OD | Dimensions | | | | 316L Stainless Steel | |
|---------|------------|-------|------|-------|----------------------|----------------|
| | A | B | C | D | Part # | Price/E |
| 1" | 1.625 | 2.000 | .065 | 1.000 | 14VB-R100 | \$65.95 |
| 1½" | 1.750 | 2.875 | .065 | 1.500 | 14VB-R150 | 74.90 |
| 2" | 1.500 | 3.625 | .065 | 2.000 | 14VB-R200 | 112.35 |
| 2½" | 2.000 | 4.125 | .065 | 2.500 | 14VB-R250 | 149.75 |
| 3" | 2.250 | 5.000 | .065 | 3.000 | 14VB-R300 | 187.20 |
| 4" | 2.625 | 6.187 | .084 | 4.000 | 14VB-R400 | 299.45 |

Flanges

Unpolished Slip-On Flanges - B38SL




| Tube OD | Dimensions | | | No. & Dia. Bolt Holes | Bolt Circle | 304 Stainless Steel | | 316L Stainless Steel | |
|---------|------------|--------|-------|-----------------------|-------------|---------------------|----------------|----------------------|-----------------|
| | A | B | C | | | Part # | Price/E | Part # | Price/E |
| 1" | .375 | 4.250 | 1.063 | 4/.625 | 3.125 | B38SL-G100 | \$93.70 | B38SL-R100 | \$136.60 |
| 1½" | .375 | 5.000 | 1.563 | 4/.625 | 3.875 | B38SL-G150 | 122.60 | B38SL-R150 | 167.00 |
| 2" | .437 | 6.000 | 2.063 | 4/.750 | 4.750 | B38SL-G200 | 151.35 | B38SL-R200 | 280.70 |
| 3" | .500 | 7.500 | 3.063 | 4/.750 | 6.000 | B38SL-G300 | 273.95 | B38SL-R300 | 508.30 |
| 4" | .562 | 9.000 | 4.063 | 8/.750 | 7.500 | B38SL-G400 | 396.45 | B38SL-R400 | 720.70 |
| 6" | .562 | 11.000 | 6.063 | 8/.875 | 9.500 | B38SL-G600 | 576.55 | B38SL-R600 | 948.35 |
| 8" | .687 | 13.500 | 8.063 | 8/.875 | 11.750 | B38SL-G800 | 1153.15 | B38SL-R800 | 1669.00 |

Tube Hangers

Hex Tube Hanger with Sleeve - B24PS

- supplied with an ABS plastic sleeve to contain the tube
- The ABS plastic sleeve is rated for operating temperatures up to 230°F.

| Tube OD | Dimensions | | 304 Stainless Steel | |
|---------|------------|-------|---------------------|---------------|
| | A | B | Part # | Price/E |
| ½" | 2.800 | 1.150 | B24PS-G50 | \$9.00 |
| ¾" | 2.800 | 1.150 | B24PS-G75 | 9.00 |
| 1" | 3.425 | 1.450 | B24PS-G100 | 12.70 |
| 1½" | 4.000 | 2.125 | B24PS-G150 | 13.90 |
| 2" | 4.500 | 2.500 | B24PS-G200 | 16.65 |
| 2½" | 4.950 | 3.125 | B24PS-G250 | 19.45 |
| 3" | 5.500 | 3.750 | B24PS-G300 | 21.85 |
| 4" | 6.950 | 4.750 | B24PS-G400 | 28.80 |
| 5" | 8.063 | 5.625 | B24PS-G500 | 82.55 |
| 6" | 9.250 | 6.625 | B24PS-G600 | 71.80 |
| 8" | 11.500 | 8.625 | B24PS-G800 | 109.70 |



Sleeves - 13PS

- maximum temperature: 230°F
- high temperature sleeves are available

| Size | ABS Part # | Price/E | Size | ABS Part # | Price/E |
|------|-----------------|---------------|------|-----------------|---------------|
| ½" | 13PS-50 | \$6.55 | 3" | 13PS-300 | \$8.10 |
| ¾" | 13PS-75 | 6.55 | 4" | 13PS-400 | 10.10 |
| 1" | 13PS-100 | 5.25 | 5" | 13PS-500 | 55.25 |
| 1½" | 13PS-150 | 5.25 | 6" | 13PS-600 | 16.20 |
| 2" | 13PS-200 | 5.25 | 8" | 13PS-800 | 31.60 |
| 2½" | 13PS-250 | 7.65 | | | |




Sanitary Fittings

Hex Tube Hanger with Grommets - B24RG


- supplied with three nitrile grommets to contain the tube
- replacement grommets are available
- The nitrile grommets have a maximum operating temperature of 230°F.

| Tube OD | Dimensions | | 304 Stainless Steel | |
|---------|------------|-------|---------------------|----------------|
| | A | B | Part # | Price/E |
| ½" - ¾" | 3.425 | 1.450 | B24RG-G75 | \$11.35 |
| 1" | 3.425 | 1.450 | B24RG-G100 | 12.50 |
| 1½" | 4.000 | 2.125 | B24RG-G150 | 13.45 |
| 2" | 4.500 | 2.500 | B24RG-G200 | 16.25 |
| 2½" | 4.950 | 3.125 | B24RG-G250 | 18.50 |
| 3" | 5.500 | 3.750 | B24RG-G300 | 20.90 |
| 4" | 6.950 | 4.750 | B24RG-G400 | 27.25 |
| 6" | 9.250 | 6.625 | B24RG-G600 | 45.15 |
| 8" | 11.500 | 8.625 | B24RG-G800 | 96.55 |



Tube Hangers

Round Tube Hangers - B24RPH




- supplied with shaped inserts that conform to the tube, cutting down on movement and vibration
- The nitrile inserts have a maximum operating temperature of 230°F.

| Tube OD | Dimensions | | 304 Stainless Steel with nitrile insert | |
|---------|------------|-------|---|----------------|
| | A | B | Part # | Price/E |
| 1/2" | 2.75 | 1.125 | B24RPH-G50 | \$12.75 |
| 3/4" | 2.75 | 1.125 | B24RPH-G75 | 12.75 |
| 1" | 3.31 | 1.500 | B24RPH-G100 | 20.30 |
| 1 1/2" | 3.81 | 2.000 | B24RPH-G150 | 21.65 |
| 2" | 4.25 | 2.562 | B24RPH-G200 | 25.00 |
| 2 1/2" | 5.00 | 3.000 | B24RPH-G250 | 27.80 |
| 3" | 5.50 | 3.562 | B24RPH-G300 | 31.25 |
| 4" | 6.50 | 4.688 | B24RPH-G400 | 39.45 |


Nuts and Bolts - 13NHN

- All size hex hangers with grommets and round hangers 1" to 4" use 13NHN-G100-600 fastener sets
- 1/2" and 3/4" round and sleeved hangers use 13NHN-G75 fastener sets
- 2 nuts and bolts supplied to a set



| Size | Description | 304 Stainless Steel | |
|-------------|------------------------------------|-----------------------|---------------|
| | | Part # | Price/E |
| 1/2" - 3/4" | 1/4-20 x 3/4" bolt with nylock nut | 13NHN-G75 | \$2.75 |
| 1" - 12" | 5/16-18 x 1" bolt with nylock nut | 13NHN-G100-600 | 9.90 |

Wall Flanges - B25




| Tube OD | Dimensions | | Wall Thickness | 304 Stainless Steel | |
|---------|------------|------|----------------|----------------------|----------------|
| | A | B | | Part # | Price/E |
| 1/2" | .5202 | 3.0 | .065 | B25-G050300 | \$29.30 |
| 1/2" | .5202 | 5.0 | .065 | B25-G050500 | 30.25 |
| 3/4" | .7702 | 3.0 | .065 | B25-G075300 | 26.40 |
| 3/4" | .7702 | 5.0 | .065 | B25-G075500 | 31.80 |
| 1" | 1.0202 | 3.0 | .065 | B25-G100300 | 23.95 |
| 1" | 1.0202 | 5.0 | .065 | B25-G100500 | 27.20 |
| 1 1/2" | 1.5202 | 5.0 | .065 | B25-G150500 | 27.60 |
| 2" | 2.0202 | 5.0 | .065 | B25-G200500 | 28.15 |
| 2 1/2" | 2.5202 | 5.0 | .065 | B25-G250500 | 28.70 |
| 3" | 3.0202 | 6.0 | .065 | B25-G300600 | 29.10 |
| 4" | 4.0202 | 7.0 | .065 | B25-G400700 | 35.65 |
| 6" | 6.0202 | 10.0 | .065 | B25-G6001000 | 152.35 |
| 8" | 8.0202 | 12.0 | .065 | B25-G8001200 | 200.50 |
| 10" | 10.0202 | 14.0 | .065 | B25-G10001400 | 232.40 |
| 12" | 12.0202 | 16.0 | .065 | B25-G12001600 | 254.55 |

Spray Balls



Rotating Spray Balls

- 304 / 316L stainless steel
- stainless steel ball bearings eliminate rust
- ideal for cleaning all types of tanks and vessels
- cleaning solution lubricates unit
- mirror-like finish (ID/OD)
- spray pattern: 360°
- connections available: clamp and NPT



| Size | Type | A | B | 304 Stainless Steel | | 316L Stainless Steel | |
|--------|-------|------------|------|-----------------------|-----------------|-----------------------|-----------------|
| | | | | Part Number | Price | Part Number | Price |
| 3/4" | NPT | 3/4" NPT | 5.46 | SRH360NPT-G075 | \$163.30 | --- | --- |
| 1 1/2" | NPT | 1 1/2" NPT | 5.46 | --- | --- | SRH360NPT-R150 | \$224.60 |
| 1 1/2" | Clamp | 1.984 | 5.46 | SRH360CMP-G150 | 201.45 | SRH360CMP-R150 | 238.05 |


Technical Data




Sanitary Fittings

Spray Balls


Fixed Spray Balls



180° Top Pattern



180° Bottom Pattern



360° Pattern

- 316L stainless steel
- heavy stainless steel construction provides longer life
- various spray patterns available (blanks available as special order)
- stationary - designed to be mounted to a tube or pipe
- typical use is in food and beverage industries for cleaning storage tanks
- 2 mm spray holes

| Size | Spray Pattern | Dimensions | | | Pin Size | D | E | 316L Stainless Steel | |
|------|---------------|------------|------|-------|----------|------|------|----------------------|-----------------|
| | | A | B | C | | | | Part # | Price/E |
| 1" | 360° | 3.04 | 2.95 | 1.005 | .226 | .975 | .445 | STC-360-R100 | \$118.60 |
| 1½" | 360° | 3.54 | 2.95 | 1.505 | .226 | .975 | .445 | STC-360-R150 | 175.50 |
| 1" | 180° bottom | 3.54 | 2.95 | 1.005 | .226 | .975 | .445 | STC-180B-R100 | 147.10 |
| 1½" | 180° bottom | 3.54 | 2.95 | 1.505 | .226 | .975 | .445 | STC-180B-R150 | 212.55 |
| 1" | 180° top | 3.54 | 2.95 | 1.005 | .226 | .975 | .445 | STC-180T-R100 | 140.60 |
| 1½" | 180° top | 3.54 | 2.95 | 1.505 | .226 | .975 | .445 | STC-180T-R150 | 206.75 |

1" pin length = 1.47

1½" pin length = 1.95



Repair Kits

Repair kits contain:

- (1) pin
- (1) R clip

| Size | Part Number | Price |
|------|------------------|----------------|
| 1" | STC-RK100 | \$19.70 |
| 1½" | STC-RK150 | 20.05 |

Technical Data



Bradford™ Filters / Strainers



Product Specifications

Size range:

- 1" - 3" clamp

Type:

- Inline
 - > short
 - > long
- Side Entry
 - > long

Material:

- 316L stainless steel

Finish:

- 3A sanitary, ID and OD



What Are Filter / Strainers Used For?

Filter Definition

A filter uses a disposable media to remove finer particulate from the stream. Dixon Sanitary holds Authorization Number 1446 for the 3-A Sanitary Standard for Filters using Single Service Filter Media, Number: 10-4.

Strainer Definition

A strainer is a device used to separate solids from fluids. Here it is used for larger particulate matter from liquid or gas. It uses cleanable media.



Full Flow Filters -
Can be equipped with a variety of filtering media, down to 40 microns, media includes polyester, cotton cheesecloth and nylon mesh.



Full Flow Coarse Strainers -
1/4" or 1/8" perforations.




Full Flow Fine/Medium Strainers -
Can be equipped with a variety of mesh screens for removing finer particles (20 to 1130 mesh).

Sanitary Fittings

Bradford™ Filters / Strainers


In-line Filter / Strainer - BSCCQ



- In-line units ship standard with the following: spring, distributor cap, clamp gasket, 1/4" perforated back-up tube, inlet and outlet bodies and squeeze clamp
- 1/8" perforated back-up tube available, must specify when ordering
- Bevel seat, I-line and weld ends available, call Dixon Sanitary at 800.789.1718 for information

| Size | A short | A long | B | Short Part # | Price/E | Long Part # | Price/E |
|------|---------|--------|------|--------------------|------------------|--------------------|------------------|
| 1" | 15.75 | -- | 4.00 | BSCCQ1-R100 | \$1639.75 | --- | --- |
| 1½" | 15.75 | 35.375 | 4.00 | BSCCQ1-R150 | 1639.75 | BSCCQ2-R150 | \$2899.70 |
| 2" | 15.75 | 35.375 | 4.00 | BSCCQ1-R200 | 1639.75 | BSCCQ2-R200 | 2899.70 |
| 2½" | 15.75 | -- | 4.50 | BSCCS1-R250 | 1935.50 | --- | --- |
| 3" | 15.75 | 35.375 | 4.50 | BSCCS1-R300 | 1935.50 | BSCCS2-R300 | 3543.30 |

Side-Entry Filter / Strainer - BSCCQ




- Side entry units ship standard with the following: spring, end cap with handle, distributor cap, clamp gasket, 1/4" perforated back-up tube, body and squeeze clamp
- 1/8" perforated back-up tube available, must specify when ordering
- Bevel seat, I-line and weld ends available, call Dixon Sanitary at 800.789.1718 for information

| Size | A | B | C | D | Part # | Price/E |
|------|------|----|----|----|--------------------|------------------|
| 1½" | 41.9 | 4 | 35 | 3½ | BSCCQ3-R150 | \$3617.05 |
| 2" | 41.9 | 4 | 35 | 3½ | BSCCQ3-R200 | 3617.05 |
| 3" | 41.9 | 4½ | 35 | 3¾ | BSCCQ3-R300 | 4454.65 |

Dimensions are approximate. Engineering dimensions are available upon request.
Specifications are subject to change without notice.

2-Way 3 Piece Encapsulated Ball Valves

- ½" - 2" rated at **1,000 PSI** WOG; 2½" - 4" rated at 800 PSI WOG
- balanced encapsulated construction minimizes cold flow
- live loaded stem packing
- precision stainless steel balls reduce torque and friction losses while extending seat life
- operating parts are stainless steel type CF8M (316) conforming to ASTM A351, (MTRs available upon request)
- integral ISO 5211 mounting pad
- ID polish is Ra 32 minimum
- lockable handle can prevent accidental actuation
- standard internal entry blow out proof stem design
- full port design matches ball and seat ports to tube ID for lower pressure drop and less turbulent flow
- compact design for areas with tight space restrictions
- fully encapsulated construction produces bubble tight seal
- identification tagging available
- virgin PTFE seats



| Size | Dimensions | | | | | 316 Stainless Steel | |
|------|------------|-----|-----|-----|-----|----------------------|-----------------|
| | A | B | C | D | E | Part # | Price/E |
| ½" | 4.7 | 1.5 | 4.3 | 3 | 1.9 | BV2CV-050CC-A | \$164.90 |
| ¾" | 4.7 | 1.8 | 4.7 | 3.3 | 2.2 | BV2CV-075CC-A | 199.15 |
| 1" | 5.2 | 2.1 | 4.9 | 3.6 | 2.4 | BV2CV-100CC-A | 274.80 |
| 1½" | 7.2 | 2.7 | 5.6 | 4.4 | 3.1 | BV2CV-150CC-A | 463.55 |
| 2" | 7.2 | 3.1 | 6.4 | 4.8 | 3.7 | BV2CV-200CC-A | 670.60 |
| 2½" | 14.6 | 3.8 | 7.8 | 5.2 | 4.8 | BV2CV-250CC-A | 1285.20 |
| 3" | 14.6 | 4.2 | 9 | 5.7 | 5.4 | BV2CV-300CC-A | 1696.50 |
| 4" | 14.6 | 5.3 | 9.5 | 6.8 | 8.8 | BV2CV-400CC-A | 2914.80 |

Dixon Sanitary's commitment to excellence and continuous research and development for improving product quality may warrant periodic changes in design and specification. We reserve the right to modify product design without prior notification and without incurring any liability to provide these modifications to products previously purchased.





Literature download for Valve Seat Options
Scan me with your Smart Phone to go to Dixon Sanitary's literature download page.

No reader?
Download a free QR-Code 2D barcode reader.
<http://www.mobile-barcodes.com/qr-code-software/>

For valve seat options, visit www.bradfordittings.com and download the valve seat options literature.

Non-Encapsulated 2-way 3 Piece Stainless Steel Ball Valves**New
for 2012**

- blow-out proof stem
- live-loaded stem packing
- 15% glass reinforced PTFE seats
- CF8M stainless body, ends and ball
- ID polish is R_a 32
- lock-out, tag out
- rated to $\frac{1}{2}$ " - 2" **1,000 PSI WOG**
2 $\frac{1}{2}$ " - 4" **800 PSI WOG**



| Size | Dimensions | | | Break Torque (in-lbs.) | Weight (lbs.) | 304 Stainless Steel | |
|-------------------|------------|-----|-----|---------------------------|------------------|----------------------|-----------------|
| | A | B | C | | | Part # | Price/E |
| $\frac{1}{2}$ " | 4.1 | 2.3 | 4.6 | 55 | 1.4 | BV2GG-050CC-A | \$151.50 |
| $\frac{3}{4}$ " | 4.1 | 2.5 | 4.7 | 71 | 1.8 | BV2GG-075CC-A | 165.35 |
| 1" | 5.0 | 2.8 | 4.9 | 101 | 2.6 | BV2GG-100CC-A | 243.80 |
| 1 $\frac{1}{2}$ " | 6.1 | 3.5 | 5.6 | 221 | 4.6 | BV2GG-150CC-A | 413.20 |
| 2" | 7.6 | 3.9 | 6.4 | 345 | 8.5 | BV2GG-200CC-A | 622.65 |
| 2 $\frac{1}{2}$ " | 7.6 | 4.4 | 7.8 | 883 | 17.8 | BV2GG-250CC-A | 1097.70 |
| 3" | 10.9 | 4.9 | 9.0 | 830 | 28.2 | BV2GG-300CC-A | 1672.10 |
| 4" | 13.2 | 6.6 | 9.6 | 1323 | 41.4 | BV2GG-400CC-A | 3228.30 |

Dimensions are approximate. Engineering dimensions are available upon request.
Specifications are subject to change without notice.



Literature download for Valve Seat Options
Scan me with your Smart Phone to go to Dixon Sanitary's literature download page.

No reader?
Download a free QR-Code 2D barcode reader.
<http://www.mobile-barcodes.com/qr-code-software/>

For valve seat options, visit www.bradfordfittings.com and download the valve seat options literature.

Butterfly Valves

In addition to a variety of end and seat configurations this butterfly valve also has four handle options.

- A. The *pull style handle* allows you to set the valve in four different positions simply by pulling and turning.
- B. The *infinite handle* has incremental marks on the top which can be used when needing a throttling valve.
- C. The stainless steel *trigger handle* offers twelve positions which make it easy to understand how to actuate the valve.
- D. The push style handle allows you to set the valve in four different positions simply by pushing down and turning.

- 100% tested / 100% inspected
- 100% pressure hydraulic tested for reliability
- wetted surfaces polished to 3-A standards
- various end configurations available: weld, I-line, Q-line, bevel seat and John Perry
- actuation available: double-acting, air-to-spring, electric
- vacuum rating: 14.2 PSI at 68°F
- temperature range: **15°F to 200°F**
- clamp style is standard



Butterfly Valve with Pull Handle - [A]

| Size | 316 Stainless Steel with silicone seal | | 316 Stainless Steel with Viton® seal | | 316 Stainless Steel with EPDM seal | |
|--------|--|-----------------|--------------------------------------|-----------------|------------------------------------|-----------------|
| | Part # | Price/E | Part # | Price/E | Part # | Price/E |
| 1/2" | B5101S050CC-A | \$325.05 | B5101V050CC-A | \$351.60 | B5101E050CC-A | \$319.10 |
| 3/4" | B5101S075CC-A | 325.05 | B5101V075CC-A | 351.60 | B5101E075CC-A | 319.10 |
| 1" | B5101S100CC-A | 305.85 | B5101V100CC-A | 333.20 | B5101E100CC-A | 299.90 |
| 1 1/2" | B5101S150CC-A | 297.50 | B5101V150CC-A | 340.10 | B5101E150CC-A | 289.95 |
| 2" | B5101S200CC-A | 360.30 | B5101V200CC-A | 421.15 | B5101E200CC-A | 349.95 |
| 2 1/2" | B5101S250CC-A | 450.20 | B5101V250CC-A | 576.45 | B5101E250CC-A | 427.25 |
| 3" | B5101S300CC-A | 601.45 | B5101V300CC-A | 799.45 | B5101E300CC-A | 583.45 |
| 4" | B5101S400CC-A | 926.65 | B5101V400CC-A | 1324.05 | B5101E400CC-A | 897.65 |
| 6" | B5101S600CC-A | 2095.70 | --- | --- | B5101E600CC-A | 2073.45 |
| 8" | --- | --- | --- | --- | B5101E800CC-A | 6008.15 |



- valves can be automated, call the factory at 800.789.1718 for details

| Size | Dimensions | | | | | | | Break Torque (inch lbs.) | PSI @ 68°F |
|--------|------------|-----|-----|-----|-----|-----|------|--------------------------|------------|
| | A | B | C | D | E | F | G | | |
| 1/2" | 4.4 | 2.8 | 1.4 | 0.9 | 3.5 | .37 | 3.1 | 75 | 140 |
| 3/4" | 4.4 | 2.8 | 1.4 | 0.9 | 3.5 | .62 | 3.1 | 75 | 140 |
| 1" | 4.4 | 2.8 | 1.4 | 0.9 | 3.5 | 0.9 | 3.1 | 75 | 140 |
| 1 1/2" | 4.4 | 2.8 | 1.4 | 0.9 | 3.5 | 1.4 | 3.1 | 130 | 140 |
| 2" | 4.4 | 3.1 | 1.4 | 0.9 | 3.8 | 1.9 | 3.9 | 165 | 140 |
| 2 1/2" | 4.4 | 3.5 | 1.4 | 0.9 | 3.8 | 2.4 | 4.6 | 210 | 110 |
| 3" | 6.2 | 3.8 | 1.3 | 1.2 | 4.1 | 2.9 | 5.2 | 350 | 110 |
| 4" | 6.2 | 4.5 | 1.3 | 1.2 | 4.8 | 3.8 | 6.7 | 540 | 85 |
| 6" | 11.5 | 5.5 | 1.3 | 1.2 | 5.5 | 5.8 | 8.5 | 1550 | 60 |
| 8" | 18.0 | 6.9 | 1.6 | 1.2 | 4.9 | 7.8 | 11.2 | 1650 | 60 |



Sanitary Fittings



Butterfly Valves with Infinite Position Handle - [B]

| Size | 316 Stainless Steel with silicone seal | | 316 Stainless Steel with Viton® seal | | 316 Stainless Steel with EPDM seal | |
|--------|--|-----------------|--------------------------------------|-----------------|------------------------------------|-----------------|
| | Part # | Price/E | Part # | Price/E | Part # | Price/E |
| 1/2" | B5101S050CC-B | \$325.05 | B5101V050CC-B | \$351.60 | B5101E050CC-B | \$319.10 |
| 3/4" | B5101S075CC-B | 325.05 | B5101V075CC-B | 351.60 | B5101E075CC-B | 319.10 |
| 1" | B5101S100CC-B | 305.85 | B5101V100CC-B | 333.20 | B5101E100CC-B | 299.90 |
| 1 1/2" | B5101S150CC-B | 297.50 | B5101V150CC-B | 340.10 | B5101E150CC-B | 289.95 |
| 2" | B5101S200CC-B | 360.30 | B5101V200CC-B | 421.15 | B5101E200CC-B | 349.95 |
| 2 1/2" | B5101S250CC-B | 450.20 | B5101V250CC-B | 576.45 | B5101E250CC-B | 427.25 |
| 3" | B5101S300CC-B | 601.45 | B5101V300CC-B | 799.45 | B5101E300CC-B | 583.45 |
| 4" | B5101S400CC-B | 926.65 | B5101V400CC-B | 1324.05 | B5101E400CC-B | 897.65 |



- valves can be automated, call the factory at 800.789.1718 for details

| Size | Dimensions | | | | | | | Break Torque (inch lbs.) | PSI @ 68°F |
|--------|------------|-----|-----|-----|-----|-----|-----|--------------------------|------------|
| | A | B | C | D | E | F | G | | |
| 1/2" | 4.3 | 2.6 | 1.3 | 0.9 | 3.5 | .37 | 3.1 | 75 | 140 |
| 3/4" | 4.3 | 2.6 | 1.3 | 0.9 | 3.5 | .62 | 3.1 | 75 | 140 |
| 1" | 4.3 | 2.6 | 1.3 | 0.9 | 3.5 | 0.9 | 3.1 | 75 | 140 |
| 1 1/2" | 4.3 | 2.6 | 1.3 | 0.9 | 3.5 | 1.4 | 3.1 | 130 | 140 |
| 2" | 4.3 | 2.9 | 1.3 | 0.9 | 3.8 | 1.9 | 3.9 | 165 | 140 |
| 2 1/2" | 4.3 | 3.3 | 1.3 | 0.9 | 3.8 | 2.4 | 4.6 | 210 | 110 |
| 3" | 6.4 | 3.6 | 1.3 | 1.2 | 4.1 | 2.9 | 5.2 | 350 | 110 |
| 4" | 6.4 | 4.4 | 1.3 | 1.2 | 4.8 | 3.8 | 6.7 | 540 | 85 |




Butterfly Valves

Butterfly Valve with Trigger Handle - [C]



| Size | 316 Stainless Steel with silicone seal | | 316 Stainless Steel with Viton® seal | | 316 Stainless Steel with EPDM seal | |
|------|--|----------|--------------------------------------|----------|------------------------------------|----------|
| | Part # | Price/E | Part # | Price/E | Part # | Price/E |
| ½" | B5101S050CC-C | \$325.05 | B5101V050CC-C | \$351.60 | B5101E050CC-C | \$319.10 |
| ¾" | B5101S075CC-C | 325.05 | B5101V075CC-C | 351.60 | B5101E075CC-C | 319.10 |
| 1" | B5101S100CC-C | 305.85 | B5101V100CC-C | 333.20 | B5101E100CC-C | 299.90 |
| 1½" | B5101S150CC-C | 297.50 | B5101V150CC-C | 340.10 | B5101E150CC-C | 329.60 |
| 2" | B5101S200CC-C | 360.30 | B5101V200CC-C | 421.15 | B5101E200CC-C | 349.95 |
| 2½" | B5101S250CC-C | 450.20 | B5101V250CC-C | 576.45 | B5101E250CC-C | 427.25 |
| 3" | B5101S300CC-C | 601.45 | B5101V300CC-C | 799.45 | B5101E300CC-C | 583.45 |
| 4" | B5101S400CC-C | 926.65 | B5101V400CC-C | 1324.05 | B5101E400CC-C | 897.65 |



• valves can be automated, call the factory at 800.789.1718 for details
 • lock-out, tag-out ready, .271 diameter hole


| Size | Dimensions | | | | | | | BreakTorque (inch lbs.) | PSI @ 68°F |
|------|------------|-----|-----|-----|-----|-----|-----|-------------------------|------------|
| | A | B | C | D | E | F | G | | |
| ½" | 6.6 | 3 | 1.7 | 0.9 | 3.5 | .37 | 3.1 | 75 | 140 |
| ¾" | 6.6 | 3 | 1.7 | 0.9 | 3.5 | .62 | 3.1 | 75 | 140 |
| 1" | 6.6 | 3 | 1.7 | 0.9 | 3.5 | 0.9 | 3.1 | 75 | 140 |
| 1½" | 6.6 | 3 | 1.7 | 0.9 | 3.5 | 1.4 | 3.1 | 130 | 140 |
| 2" | 6.6 | 3.5 | 1.7 | 0.9 | 3.8 | 1.9 | 3.9 | 165 | 140 |
| 2½" | 6.6 | 3.7 | 1.7 | 0.9 | 3.8 | 2.4 | 4.6 | 210 | 110 |
| 3" | 6.6 | 3.9 | 1.7 | 1.2 | 4.1 | 2.9 | 5.2 | 350 | 110 |
| 4" | 6.6 | 4.8 | 1.7 | 1.2 | 4.8 | 3.8 | 6.7 | 540 | 85 |

Butterfly Valve with Push Handle - [D]



| Size | 316 Stainless Steel with silicone seal | | 316 Stainless Steel with Viton® seal | | 316 Stainless Steel with EPDM seal | |
|------|--|----------|--------------------------------------|----------|------------------------------------|----------|
| | Part # | Price/E | Part # | Price/E | Part # | Price/E |
| ½" | B5101S050CC-D | \$325.05 | B5101V050CC-D | \$351.60 | B5101E050CC-D | \$319.10 |
| ¾" | B5101S075CC-D | 325.05 | B5101V075CC-D | 351.60 | B5101E075CC-D | 319.10 |
| 1" | B5101S100CC-D | 305.85 | B5101V100CC-D | 333.20 | B5101E100CC-D | 299.90 |
| 1½" | B5101S150CC-D | 297.50 | B5101V150CC-D | 340.10 | B5101E150CC-D | 329.60 |
| 2" | B5101S200CC-D | 360.30 | B5101V200CC-D | 421.15 | B5101E200CC-D | 349.95 |
| 2½" | B5101S250CC-D | 450.20 | B5101V250CC-D | 576.45 | B5101E250CC-D | 427.25 |
| 3" | B5101S300CC-D | 601.45 | B5101V300CC-D | 799.45 | B5101E300CC-D | 583.45 |
| 4" | B5101S400CC-D | 926.40 | B5101V400CC-D | 1324.05 | B5101E400CC-D | 897.65 |

• valves can be automated, call the factory at 800.789.1718 for details



| Size | Dimensions | | | | | | | BreakTorque (inch lbs.) | PSI @ 68°F |
|------|------------|-----|-----|-----|-----|-----|-----|-------------------------|------------|
| | A | B | C | D | E | F | G | | |
| ½" | 6.7 | 2.4 | 1.1 | 0.9 | 3.5 | .37 | 3.1 | 75 | 140 |
| ¾" | 6.7 | 2.4 | 1.1 | 0.9 | 3.5 | .62 | 3.1 | 75 | 140 |
| 1" | 6.7 | 2.4 | 1.1 | 0.9 | 3.5 | 0.9 | 3.1 | 75 | 140 |
| 1½" | 6.7 | 2.4 | 1.1 | 0.9 | 3.5 | 1.4 | 3.1 | 130 | 140 |
| 2" | 6.7 | 2.7 | 1.1 | 0.9 | 3.8 | 1.9 | 3.9 | 165 | 140 |
| 2½" | 6.7 | 3.1 | 1.1 | 0.9 | 3.8 | 2.4 | 4.6 | 210 | 110 |
| 3" | 9 | 3.3 | 1.1 | 1.2 | 4.1 | 2.9 | 5.2 | 350 | 110 |
| 4" | 9 | 4.1 | 1.1 | 1.2 | 4.8 | 3.8 | 6.7 | 540 | 85 |

Dixon Sanitary's commitment to excellence and continuous research and development for improving product quality may warrant periodic changes in design and specification. We reserve the right to modify product design without prior notification and without incurring any liability to provide these modifications to products previously purchased.

Butterfly Valves

Repair Kit for Butterfly Valves

Repair Kit contains: • for valves on pages 463-464
 (1) seat
 (2) bushings

| Valve Size | Black EPDM | | Red Silicone | | Brown Viton® | |
|------------|---------------------|----------------|---------------------|----------------|---------------------|----------------|
| | Part # | Price/E | Part # | Price/E | Part # | Price/E |
| ½" - 1" | B5101-RKE100 | \$29.60 | B5101-RKS100 | \$37.90 | B5101-RKV100 | \$86.50 |
| 1½" | B5101-RKE150 | 31.95 | B5101-RKS150 | 44.00 | B5101-RKV150 | 119.70 |
| 2" | B5101-RKE200 | 38.75 | B5101-RKS200 | 48.30 | B5101-RKV200 | 156.90 |
| 2½" | B5101-RKE250 | 43.50 | B5101-RKS250 | 53.90 | B5101-RKV250 | 294.00 |
| 3" | B5101-RKE300 | 70.00 | B5101-RKS300 | 85.30 | B5101-RKV300 | 517.35 |
| 4" | B5101-RKE400 | 106.50 | B5101-RKS400 | 131.70 | B5101-RKV400 | 950.45 |
| 6" | B5101-RKE600 | 169.25 | B5101-RKS600 | 324.65 | --- | --- |
| 8" | B5101-RKE800 | 336.45 | --- | --- | --- | --- |

Clamp Butterfly Valves

- valve is only 1-3/8" wide on all sizes
- valve uses only 3/4" of line space
- the grooved clamp housing connects directly to any sanitary clamp style fitting
- Easy assembly requires a hex key for the handle and wing nuts to secure and seal the housing onto lines.
- actuation available: double acting, spring return and electric


| Size | 316L Stainless Steel with Silicone seal | | 316L Stainless Steel with Viton® seal | | 316L Stainless Steel with EPDM seal | |
|------|---|-----------------|---------------------------------------|-----------------|-------------------------------------|-----------------|
| | Part # | Price/E | Part # | Price/E | Part # | Price/E |
| 1" | B5102S100-A | \$197.90 | B5102V100-A | \$244.55 | B5102E100-A | \$197.90 |
| 1½" | B5102S150-A | 197.90 | B5102V150-A | 242.30 | B5102E150-A | 197.90 |
| 2" | B5102S200-A | 240.80 | B5102V200-A | 295.90 | B5102E200-A | 240.80 |
| 2½" | B5102S250-A | 310.90 | B5102V250-A | 379.50 | B5102E250-A | 310.90 |
| 3" | B5102S300-A | 367.80 | B5102V300-A | 444.30 | B5102E300-A | 367.80 |
| 4" | B5102S400-A | 537.60 | B5102V400-A | 644.95 | B5102E400-A | 537.60 |



Sanitary Fittings

- valves can be automated, call the factory at 800.789.1718 for details

| Size | Dimensions | | | | | | Break Torque (inch lbs.) | PSI @ 68°F |
|------|------------|-----|-----|-----|-----|-----|--------------------------|------------|
| | A | B | C | D | E | F | | |
| 1" | 5.6 | 2.8 | 1.3 | 1.3 | 3.6 | 5.6 | 125 | 140 |
| 1½" | 5.6 | 2.8 | 1.3 | 1.3 | 3.6 | 5.6 | 185 | 140 |
| 2" | 5.6 | 3 | 1.3 | 1.3 | 4.1 | 6.1 | 200 | 120 |
| 2½" | 5.6 | 3.3 | 1.3 | 1.3 | 4.6 | 6.6 | 260 | 120 |
| 3" | 5.6 | 3.6 | 1.3 | 1.3 | 5.3 | 7.1 | 350 | 100 |
| 4" | 5.6 | 4.1 | 1.3 | 1.3 | 6.4 | 8.2 | 995 | 70 |



Butterfly Valves

Repair Kit for Clamp Butterfly Valves

Repair Kit contains:

- (1) seat
- (2) bushings
- for valves on page 465

| Valve Size | Black EPDM | | Red Silicone | | Brown Viton® | |
|------------|---------------------|----------------|---------------------|----------------|---------------------|-----------------|
| | Part # | Price/E | Part # | Price/E | Part # | Price/E |
| 1" | B5102-RKE100 | \$23.80 | B5102-RKS100 | \$31.15 | B5102-RKV100 | \$107.15 |
| 1½" | B5102-RKE150 | 16.25 | B5102-RKS150 | 24.65 | B5102-RKV150 | 96.15 |
| 2" | B5102-RKE200 | 26.65 | B5102-RKS200 | 33.90 | B5102-RKV200 | 122.15 |
| 2½" | B5102-RKE250 | 34.35 | B5102-RKS250 | 40.40 | B5102-RKV250 | 148.15 |
| 3" | B5102-RKE300 | 78.50 | B5102-RKS300 | 90.65 | B5102-RKV300 | 219.00 |
| 4" | B5102-RKE400 | 105.00 | B5102-RKS400 | 113.65 | B5102-RKV400 | 288.35 |

Clamp End and Weld End Butterfly Valves


- 100% tested / 100% inspected
- all wetted surfaces are sanitary finished to < 32R_a
- field serviceable (no special tools required)
- seat materials available include: silicone, EPDM, FKM
- PTFE bushings reduce friction and increase cycle life
- minimal line pressure: 0.4 inches Hg vacuum @ 68°F
- operating temperature range: **15°F to 200°F**

New
for 2012

Clamp End Butterfly Valves



| Size | CF8M Stainless Steel with Silicone seal | | CF8M Stainless Steel with EPDM seal | | CF8M Stainless Steel with FKM seal | |
|------|---|-----------------|-------------------------------------|-----------------|------------------------------------|-----------------|
| | Part # | Price/E | Part # | Price/E | Part # | Price/E |
| 1" | B5104S100CC-D | \$286.10 | B5104E100CC-D | \$286.10 | B5104V100CC-D | \$365.50 |
| 1½" | B5104S150CC-D | 312.55 | B5104E150CC-D | 312.55 | B5104V150CC-D | 427.70 |
| 2" | B5104S200CC-D | 337.00 | B5104E200CC-D | 337.00 | B5104V200CC-D | 457.65 |
| 2½" | B5104S250CC-D | 422.65 | B5104E250CC-D | 422.65 | B5104V250CC-D | 554.50 |
| 3" | B5104S300CC-D | 503.05 | B5104E300CC-D | 503.05 | B5104V300CC-D | 654.70 |
| 4" | B5104S400CC-D | 666.85 | B5104E400CC-D | 666.85 | B5104V400CC-D | 856.95 |



| Size | Dimensions | | | | | | |
|------|------------|-----|-----|-----|-----|-----|-----|
| | A | B | C | D | E | F | G |
| 1" | 6.6 | 2.9 | 1.2 | 1.9 | 3.0 | .9 | 3.1 |
| 1½" | 6.6 | 2.9 | 1.2 | 1.9 | 3.0 | 1.4 | 3.1 |
| 2" | 6.6 | 3.2 | 1.2 | 1.9 | 3.0 | 1.9 | 3.7 |
| 2½" | 6.6 | 3.4 | 1.2 | 1.9 | 3.0 | 2.4 | 4.2 |
| 3" | 6.6 | 3.7 | 1.2 | 1.9 | 3.0 | 2.9 | 4.8 |
| 4" | 6.6 | 4.7 | 1.7 | 1.5 | 3.5 | 3.8 | 5.9 |


Butterfly Valves Weld End Butterfly Valves

**New
for 2012**

| Size | CF8M Stainless Steel with Silicone seal | | CF8M Stainless Steel with EPDM seal | | CF8M Stainless Steel with FKM seal | |
|------|---|-----------------|-------------------------------------|-----------------|------------------------------------|-----------------|
| | Part # | Price/E | Part # | Price/E | Part # | Price/E |
| 1" | B5104S100BB-D | \$294.30 | B5104E100BB-D | \$294.30 | B5104V100BB-D | \$375.95 |
| 1½" | B5104S150BB-D | 321.50 | B5104E150BB-D | 321.50 | B5104V150BB-D | 439.95 |
| 2" | B5104S200BB-D | 346.65 | B5104E200BB-D | 346.65 | B5104V200BB-D | 470.70 |
| 2½" | B5104S250BB-D | 434.70 | B5104E250BB-D | 434.70 | B5104V250BB-D | 570.35 |
| 3" | B5104S300BB-D | 517.40 | B5104E300BB-D | 517.40 | B5104V300BB-D | 673.40 |
| 4" | B5104S400BB-D | 685.85 | B5104E400BB-D | 685.85 | B5104V400BB-D | 881.40 |



| Size | Dimensions | | | | | | |
|------|------------|-----|-----|-----|-----|-----|-----|
| | A | B | C | D | E | F | G |
| 1" | 6.6 | 2.9 | 1.2 | 1.9 | 3.0 | .9 | 3.1 |
| 1½" | 6.6 | 2.9 | 1.2 | 1.9 | 3.0 | 1.4 | 3.1 |
| 2" | 6.6 | 3.2 | 1.2 | 1.9 | 3.0 | 1.9 | 3.7 |
| 2½" | 6.6 | 3.4 | 1.2 | 1.9 | 3.0 | 2.4 | 4.2 |
| 3" | 6.6 | 3.7 | 1.2 | 1.9 | 3.0 | 2.9 | 4.8 |
| 4" | 6.6 | 4.7 | 1.7 | 1.5 | 3.5 | 3.8 | 5.9 |



Repair Kit for Clamp End and Weld End Butterfly Valves

Repair Kit contains:

- (1) seat
- (1) bushing
- (1) split bushing


• for valves on page 466-467

**New
for 2012**

| Valve Size | Red Silicone | | Black EPDM | | Black FKM | |
|------------|---------------------|----------------|---------------------|----------------|---------------------|----------------|
| | Part # | Price/E | Part # | Price/E | Part # | Price/E |
| 1" | B5104-RKS100 | \$30.40 | B5104-RKE100 | \$30.40 | B5104-RKV100 | \$85.70 |
| 1½" | B5104-RKS150 | 32.75 | B5104-RKE150 | 32.75 | B5104-RKV150 | 124.40 |
| 2" | B5104-RKS200 | 36.00 | B5104-RKE200 | 36.00 | B5104-RKV200 | 129.05 |
| 2½" | B5104-RKS250 | 47.65 | B5104-RKE250 | 47.65 | B5104-RKV250 | 142.85 |
| 3" | B5104-RKS300 | 57.60 | B5104-RKE300 | 57.60 | B5104-RKV300 | 164.55 |
| 4" | B5104-RKS400 | 76.25 | B5104-RKE400 | 76.25 | B5104-RKV400 | 207.90 |

Sanitary
Fittings

Spring Check Valves

3
1447

This spring check valve is machined and polished to 3A standards. The clamp assembly design allows quick and easy maintenance and has a special angled plunger design to prevent even low pressure leak-through.

- maximum operating pressure: **145 PSI**
- operating temperature range of **15°F to 200°F**
- full size flow plate with a long bushing helps minimize stem wear

| Size | Dimensions | | | | 316L Stainless Steel | |
|------|------------|------|-----|-----|----------------------|-----------------|
| | A | B | C | D | Part # | Price/E |
| ½" | 0.37 | 0.99 | 1.1 | 1.6 | B45MP-R50 | \$416.95 |
| ¾" | 0.62 | 0.99 | 1.1 | 1.6 | B45MP-R75 | 468.40 |
| 1" | 0.87 | 1.99 | 1.7 | 2.3 | B46MP-R100 | 453.30 |
| 1½" | 1.37 | 1.99 | 1.7 | 2.3 | B46MP-R150 | 480.75 |
| 2" | 1.87 | 2.52 | 1.7 | 2.3 | B46MP-R200 | 608.05 |
| 2½" | 2.37 | 3.05 | 1.7 | 2.3 | B46MP-R250 | 645.60 |
| 3" | 2.87 | 3.58 | 1.7 | 2.3 | B46MP-R300 | 1,122.30 |
| 4" 1 | 3.83 | 4.68 | 2.2 | 2.7 | B46MP-R400 | 1,437.95 |

Repair Kit for Spring Check Valves *

Repair Kit contains:

½" - ¾"

- (1) 316L spring
- (1) Viton® stem seat
- (1) Buna body O-ring

Repair Kit contains:

1" - 4"

- (1) 316L spring
- (1) Viton® stem seat
- (1) Buna clamp gasket


| Size | Part # | Price/E |
|------|--------------------|----------------|
| ½" | B45MP-RK050 | \$20.45 |
| ¾" | B45MP-RK075 | 20.45 |
| 1" | B46MP-RK100 | 32.45 |
| 1½" | B46MP-RK150 | 33.95 |
| 2" | B46MP-RK200 | 40.80 |
| 2½" | B46MP-RK250 | 42.10 |
| 3" | B46MP-RK300 | 53.05 |
| 4" | B46MP-RK400 | 56.10 |

Ball Check Valves

3.1447 58-00

When liquid flows through the valve, the ball is forced into the branch of the valve allowing full fluid flow. When the liquid stops, equalizing the pressure, the ball drops back into the seat, preventing backflow. Should reverse flow occur, the differential pressure will cause the ball to seal firmly against the seat preventing leakage.

- maximum operating pressure: **250 PSI**
- maximum operating temperature: **250°F**
- two piece construction for easier alignment during installation
- various end configurations available: clamp, weld, I-line, Q-line, bevel seat and John Perry
- polished ID and OD to 3A standards
- all metal contact surfaces of 316L stainless steel construction
- air blow check valve can be added (see air blow for sizing)
- PTFE ball



| Size | Dimensions | | | | | | Vertical Seating Pressure (PSI) | 316L Stainless Steel | |
|------|------------|-----|-------|-------|-------|-------|---------------------------------|----------------------|-----------------|
| | A | B | C | D | E | F | | Part # | Price/E |
| 1½" | 7.5 | 3.3 | 1.365 | 1.875 | 1.984 | 2.516 | 3.6 | B45BY-R150 | \$837.65 |
| 2" | 8.5 | 3.9 | 1.865 | 2.335 | 2.516 | 3.047 | 2.6 | B45BY-R200 | 1045.75 |
| 2½" | 10.0 | 4.5 | 2.370 | 2.870 | 3.047 | 3.579 | 1.6 | B45BY-R250 | 1374.90 |
| 3" | 11.5 | 5.3 | 2.870 | 3.834 | 3.579 | 4.682 | 1.9 | B45BY-R300 | 2243.45 |

Kit for Ball Check Valves

Repair Kit contains:

- (1) PTFE ball
- (1) EPDM/CF8M seat
- (1) EPDM cap gasket

| Size | Part # | Price/E |
|------|--------------------|-----------------|
| 1½" | B45BY-RK150 | \$181.70 |
| 2" | B45BY-RK200 | 256.60 |
| 2½" | B45BY-RK250 | 536.00 |
| 3" | B45BY-RK300 | 1101.50 |

Seal Kit contains:

- (1) EPDM/CF8M seat
- (1) EPDM cap gasket

| Size | Part # | Price/E |
|------|--------------------|----------------|
| 1½" | B45BY-SK150 | \$52.25 |
| 2" | B45BY-SK200 | 62.35 |
| 2½" | B45BY-SK250 | 83.20 |
| 3" | B45BY-SK300 | 122.75 |

All Viton® Seal Kit contains:

- (1) Viton®/CF8M seat
- (1) Viton® cap gasket

| Size | Part # | Price/E |
|------|---------------------|-----------------|
| 1½" | B45BY-SKV150 | \$130.20 |
| 2" | B45BY-SKV200 | 162.25 |
| 2½" | B45BY-SKV250 | 210.00 |
| 3" | B45BY-SKV300 | 304.05 |

Replacement Ball:

- (1) PTFE Ball

| Size | Part # | Price/E |
|------|--------------------|-----------------|
| 1½" | B45BY-TB150 | \$142.95 |
| 2" | B45BY-TB200 | 213.10 |
| 2½" | B45BY-TB250 | 491.00 |
| 3" | B45BY-TB300 | 1055.70 |


Sanitary Fittings

3
1447 58-00


Air Blow Check Valves

The air blow check valve is designed to pressurize lines with air to clean out product or cleaning solutions. It is fail-safe because the simple air-to-open, spring-to-close mechanism prevents backflow. Can be used with a ball check valve. The valves are available with three different end configurations to allow quick assembly and disassembly when replacing filter media, cleaning or inspecting. Conforms to 3A accepted practice 604-05 for supplying air under pressure in contact with milk products and product contact surfaces with optional filter disc.


- EPDM seat and gasket
- conforms to 3A practice 604-05
- filter discs sold separately in packs of 50



B45AB



B45BC



B45CC

| Size | Dimensions | | Quick Disconnect 316L Stainless Steel | | Dim. C | Female NPT 316L Stainless Steel | | Dim. C | Hose Barb 316L Stainless Steel | | Dim. C |
|--------|------------|-------|--|-----------------|-----------|------------------------------------|-----------------|-----------|-----------------------------------|-----------------|-----------|
| | A | B | Part # | Price/E | | Part # | Price/E | | Part # | Price/E | |
| 1"-1½" | 1.984 | 1.300 | B45AB-R100150 | \$363.75 | 1.26 | B45BC-R100150 | \$363.75 | .60 | B45CC-R100150 | \$340.10 | 1.70 |
| 2" | 2.516 | 1.300 | B45AB-R200 | 370.65 | 1.26 | B45BC-R200 | 370.65 | .60 | B45CC-R200 | 346.55 | 1.70 |
| 2½" | 3.047 | 1.300 | B45AB-R250 | 477.00 | 1.26 | B45BC-R250 | 477.00 | .60 | B45CC-R250 | 477.00 | 1.70 |
| 3" | 3.579 | 1.300 | B45AB-R300 | 553.55 | 1.26 | B45BC-R300 | 553.55 | .60 | B45CC-R300 | 553.55 | 1.70 |
| 4" | 4.682 | 1.300 | B45AB-R400 | 629.20 | 1.26 | B45BC-R400 | 588.30 | .60 | B45CC-R400 | 588.30 | 1.70 |

Repair Kit for Air Blow Check Valves

Repair Kit contains:

- (1) EPDM / 316L stainless perforated disc
- (1) 304 stainless spring retainer
- (1) 304 stainless spring
- (1) nylon stem guide
- (1) EPDM / 316L stem and plug

| Part # | Price/E |
|-----------------|-----------------|
| B45AB-RK | \$152.45 |

When using air blow check valves with ball check valves, refer to the sizing chart below.

Sizing Chart

| Ball Check Valve size | Air Blow Check Valve size |
|-----------------------|---------------------------|
| 1½" | 2" |
| 2" | 2½" |
| 2½" | 3" |
| 3" | 4" |

Dixon Sanitary's commitment to excellence and continuous research and development for improving product quality may warrant periodic changes in design and specification. We reserve the right to modify product design without prior notification and without incurring any liability to provide these modifications to products previously purchased.